

	<h1>NAP1L5 Polyclonal Antibody</h1>	E 9 1 7 8 4 9
--	-------------------------------------	---------------------------------

<b>Swiss-Prot No.:</b>	Q96NT1
<b>Storage/Stability:</b>	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
<b>Immunogen:</b>	Recombinant fusion protein of Human NAP1L5.
<b>Purification:</b>	Affinity purification
<b>Reactivity:</b>	Human Mouse
<b>Other Names:</b>	DRLM
<b>Background:</b>	This gene encodes a protein that shares sequence similarity to nucleosome assembly factors, but may be localized to the cytoplasm rather than the nucleus. Expression of this gene is downregulated in hepatocellular carcinomas. This gene is located within a differentially methylated region (DMR) and is imprinted and paternally expressed. There is a related pseudogene on chromosome 4. [provided by RefSeq, Nov 2015]
<b>Gene ID:</b>	266812
<b>Source:</b>	Rabbit
<b>Antibody type:</b>	Polyclonal Antibodies
<b>Isotype:</b>	IgG
<b>Molecular Weight:</b>	—

**For Research Use Only**

Order: [order@enogene.com](mailto:order@enogene.com) Support: [service@enogene.com](mailto:service@enogene.com) Web:  
[www.enogene.com](http://www.enogene.com)

---

<b>Recommended Dilutions:</b>	WB 1:500 - 1:2000
-----------------------------------	-------------------

---

**For Research Use Only**