

Immunotag™ TFIP8 Antibody

Antibody Specification	
Catalog No.	ITA0322
Product Description	Immunotag™ TFIP8 Antibody
Size	100 µg, 200 µg
Conjugation	HRP, Biotin, FITC, Alexa Fluor® 350, Alexa Fluor® 405, Alexa Fluor® 488, Alexa Fluor® 555, Alexa Fluor® 594, Alexa Fluor® 647
IMPORTANT NOTE	This product is custom manufactured with a lead time of 3-4 weeks. Once in production, this item cannot be cancelled from an order and is not eligible for return.
Target Protein	TFIP8
Clonality	Polyclonal
Storage/Stability	-20°C/1 year
Application	WB,IHC,IF/ICC,ELISA
Recommended Dilution	WB 1:500-1:2000 IHC 1:50-1:200 IF/ICC 1:100-1:500
Concentration	1 mg/ml
Reactive Species	Human,Mouse
Host Species	Rabbit
Immunogen	A synthesized peptide derived from human TFIP8
Specificity	TFIP8 Antibody detects endogenous levels of TFIP8
Purification	The antiserum was purified by peptide affinity chromatography.
Form	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.Store at -20 °C.Stable for 12 months from date of receipt
Gene Name	TNFAIP8
Accession No.	O95379
Alternate Names	GG2 1; Head and neck tumor and metastasis-related protein; MDC-3.13; NDED; NF-kappa-B-inducible DED-containing protein; SCC S2; SCC-S2; SCCS2; TFIP8_HUMAN; TNF alpha-induced protein 8; TNF induced protein; TNF-induced protein GG2-1; TNFAIP 8; TNFAIP8; Tumor necrosis factor alpha induced protein 8; Tumor necrosis factor alpha-induced protein 8;

Antibody Specification

Description	Acts as a negative mediator of apoptosis and may play a role in tumor progression. Suppresses the TNF-mediated apoptosis by inhibiting caspase-8 activity but not the processing of procaspase-8, subsequently resulting in inhibition of BID cleavage and caspase-3 activation.
Cell Pathway/ Category	Primary Polyclonal Antibody
Protein MW	23kDa
Usage	For Research Use Only! Not for diagnostic or therapeutic procedures.