Immunotag™ PRDX1 Antibody

| Antibody Specification | |
|------------------------|---|
| Catalog No. | ITA3640 |
| Product Description | Immunotag™ PRDX1 Antibody |
| Size | 100 μg, 200 μg |
| Conjugation | HRP, Biotin, FITC, Alexa Fluor® 350, Alexa Fluor® 405, Alexa Fluor® 488, Alexa Fluor® 555, Alexa Fluor® 594, Alexa Fluor® 647 |
| IMPORTANT NOTE | This product is custom manufactured with a lead time of 3-4 weeks. Once in production, this item cannot be cancelled from an order and is not eligible for return. |
| Target Protein | PRDX1 |
| Clonality | Polyclonal |
| Storage/Stability | -20°C/1 year |
| Application | WB,ELISA |
| Recommended Dilution | WB 1:500-1:2000 |
| Concentration | 1 mg/ml |
| Reactive Species | Human,Mouse,Rat |
| Host Species | Rabbit |
| Immunogen | A synthesized peptide |
| Specificity | PRDX1 antibody detects endogenous levels of total PRDX1 |
| Purification | The antiserum was purified by peptide affinity chromatography. |
| Form | Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. |
| Gene Name | PRDX1 |
| Accession No. | Q06830 |
| Alternate Names | Heme binding 23 kDa protein; MSP23; Natural killer cell-enhancing factor A; NKEF A; NKEF-A; NKEFA; OSF3; Osteoblast specific factor 3; PAG; Paga; PAGB; Peroxiredoxin-1; PRDX1; PRDX1_HUMAN; Proliferation associated gene A; Proliferation-associated gene protein; PRX1; PrxI; TDPX2; Thioredoxin peroxidase 2; Thioredoxin-dependent peroxide reductase 2; |

| Antibody Specification | |
|---------------------------|---|
| Description | Thiol-specific peroxidase that catalyzes the reduction of hydrogen peroxide and organic hydroperoxides to water and alcohols, respectively. Plays a role in cell protection against oxidative stress by detoxifying peroxides and as sensor of hydrogen peroxide-mediated signaling events. Might participate in the signaling cascades of growth factors and tumor necrosis factor-alpha by regulating the intracellular concentrations of H2O2 (PubMed:9497357). Reduces an intramolecular disulfide bond in GDPD5 that gates the ability to GDPD5 to drive postmitotic motor neuron differentiation (By similarity). |
| Cell Pathway/ Category | Primary Polyclonal Antibody |
| Protein MW | 22 kDa |
| Usage | For Research Use Only! Not for diagnostic or therapeutic procedures. |

www.gbiosciences.com

© 2018 Geno Technology Inc., USA. All Rights Reserved.