

Immunotag™ RGS7 Antibody

Antibody Specification	
Catalog No.	ITA5296
Product Description	Immunotag™ RGS7 Antibody
Size	100 µg, 200 µg
Conjugation	HRP, Biotin, FITC, Alexa Fluor® 350, Alexa Fluor® 405, Alexa Fluor® 488, Alexa Fluor® 555, Alexa Fluor® 594, Alexa Fluor® 647
IMPORTANT NOTE	This product is custom manufactured with a lead time of 3-4 weeks. Once in production, this item cannot be cancelled from an order and is not eligible for return.
Target Protein	RGS7
Clonality	Polyclonal
Storage/Stability	-20°C/1 year
Application	WB,IF/ICC,ELISA
Recommended Dilution	WB 1:500~1:1000, IF/ICC 1:100-1:500
Concentration	1 mg/ml
Reactive Species	Human,Mouse,Rat
Host Species	Rabbit
Immunogen	A synthesized peptide
Specificity	RGS7 Antibody detects endogenous levels of total RGS7
Purification	The antiserum was purified by peptide affinity chromatography.
Form	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.Store at -20 °C.Stable for 12 months from date of receipt
Gene Name	RGS7
Accession No.	P49802
Alternate Names	OTTHUMP00000037994; Regulator of G protein signalling 7; Regulator of G-protein signaling 7; Regulator of G-protein signaling RGS7; Regulator of G-protein signalling 7;

Antibody Specification

Description	Regulates G protein-coupled receptor signaling cascades. Inhibits signal transduction by increasing the GTPase activity of G protein alpha subunits, thereby driving them into their inactive GDP-bound form (PubMed:10521509, PubMed:10862767). The RGS7/GNB5 dimer enhances GNAO1 GTPase activity (PubMed:10521509). May play a role in synaptic vesicle exocytosis (PubMed:12659861). Modulates the activity of potassium channels that are activated by GNAO1 in response to muscarinic acetylcholine receptor M2/CHRM2 signaling (PubMed:15897264).
Cell Pathway/ Category	Primary Polyclonal Antibody
Protein MW	65 KD
Usage	For Research Use Only! Not for diagnostic or therapeutic procedures.