

Immunotag™ STK10 Antibody

Antibody Specification	
Catalog No.	ITA5661
Product Description	Immunotag™ STK10 Antibody
Size	100 µg, 200 µg
Conjugation	HRP, Biotin, FITC, Alexa Fluor® 350, Alexa Fluor® 405, Alexa Fluor® 488, Alexa Fluor® 555, Alexa Fluor® 594, Alexa Fluor® 647
IMPORTANT NOTE	This product is custom manufactured with a lead time of 3-4 weeks. Once in production, this item cannot be cancelled from an order and is not eligible for return.
Target Protein	STK10
Clonality	Polyclonal
Storage/Stability	-20°C/1 year
Application	WB,IF/ICC,ELISA
Recommended Dilution	WB 1:500~1:1000, IF/ICC 1:100-1:500
Concentration	1 mg/ml
Reactive Species	Human
Host Species	Rabbit
Immunogen	A synthesized peptide
Specificity	STK10 Antibody detects endogenous levels of total STK10
Purification	The antiserum was purified by peptide affinity chromatography.
Form	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.Store at -20 °C.Stable for 12 months from date of receipt
Gene Name	STK10
Accession No.	O94804
Alternate Names	LOK; Lymphocyte oriented kinase; Lymphocyte-oriented kinase; PRO2729; Serine threonine protein kinase 10; Serine/threonine-protein kinase 10; STK10; STK10_HUMAN;

Antibody Specification

Description	Serine/threonine-protein kinase involved in regulation of lymphocyte migration. Phosphorylates MSN, and possibly PLK1. Involved in regulation of lymphocyte migration by mediating phosphorylation of ERM proteins such as MSN. Acts as a negative regulator of MAP3K1/MEKK1. May also act as a cell cycle regulator by acting as a polo kinase kinase: mediates phosphorylation of PLK1 in vitro; however such data require additional evidences in vivo.
Cell Pathway/ Category	Primary Polyclonal Antibody
Protein MW	120 KD
Usage	For Research Use Only! Not for diagnostic or therapeutic procedures.