

Immunotag™ TOLLIP Antibody

Antibody Specification	
Catalog No.	ITA5714
Product Description	Immunotag™ TOLLIP Antibody
Size	100 µg, 200 µg
Conjugation	HRP, Biotin, FITC, Alexa Fluor® 350, Alexa Fluor® 405, Alexa Fluor® 488, Alexa Fluor® 555, Alexa Fluor® 594, Alexa Fluor® 647
IMPORTANT NOTE	This product is custom manufactured with a lead time of 3-4 weeks. Once in production, this item cannot be cancelled from an order and is not eligible for return.
Target Protein	TOLLIP
Clonality	Polyclonal
Storage/Stability	-20°C/1 year
Application	WB,IHC,IF/ICC,ELISA
Recommended Dilution	WB 1:500~1:1000 IHC: 1:50~1:200, IF/ICC 1:100-1:500
Concentration	1 mg/ml
Reactive Species	Human
Host Species	Rabbit
Immunogen	A synthesized peptide
Specificity	TOLLIP Antibody detects endogenous levels of total TOLLIP
Purification	The antiserum was purified by peptide affinity chromatography.
Form	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.Store at -20 °C.Stable for 12 months from date of receipt
Gene Name	TOLLIP
Accession No.	Q9H0E2
Alternate Names	Adapter protein; FLJ33531; IL 1RAcPIP; IL1RAcPIP; TOLIP; TOLIP_HUMAN; Toll interacting protein; Toll-interacting protein; tollip;

Antibody Specification

Description	Component of the signaling pathway of IL-1 and Toll-like receptors. Inhibits cell activation by microbial products. Recruits IRAK1 to the IL-1 receptor complex. Inhibits IRAK1 phosphorylation and kinase activity (PubMed:11751856). Connects the ubiquitin pathway to autophagy by functioning as a ubiquitin-ATG8 family adapter and thus mediating autophagic clearance of ubiquitin conjugates. The TOLLIP-dependent selective autophagy pathway plays an important role in clearance of cytotoxic polyQ proteins aggregates (PubMed:25042851).
Cell Pathway/ Category	Primary Polyclonal Antibody
Protein MW	30 KD
Usage	For Research Use Only! Not for diagnostic or therapeutic procedures.