

# Immunotag™ GPR18 Antibody

| Antibody Specification |                                                                                                                                                                    |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Catalog No.            | ITA5780                                                                                                                                                            |
| Product Description    | Immunotag™ GPR18 Antibody                                                                                                                                          |
| Size                   | 100 µg, 200 µg                                                                                                                                                     |
| Conjugation            | HRP, Biotin, FITC, Alexa Fluor® 350, Alexa Fluor® 405, Alexa Fluor® 488, Alexa Fluor® 555, Alexa Fluor® 594, Alexa Fluor® 647                                      |
| IMPORTANT NOTE         | This product is custom manufactured with a lead time of 3-4 weeks. Once in production, this item cannot be cancelled from an order and is not eligible for return. |
| Target Protein         | GPR18                                                                                                                                                              |
| Clonality              | Polyclonal                                                                                                                                                         |
| Storage/Stability      | -20°C/1 year                                                                                                                                                       |
| Application            | WB,IF/ICC,ELISA                                                                                                                                                    |
| Recommended Dilution   | WB 1:500~1:1000 IF/ICC 1:100-1:500                                                                                                                                 |
| Concentration          | 1 mg/ml                                                                                                                                                            |
| Reactive Species       | Human                                                                                                                                                              |
| Host Species           | Rabbit                                                                                                                                                             |
| Immunogen              | A synthesized peptide                                                                                                                                              |
| Specificity            | GPR18 Antibody detects endogenous levels of total GPR18                                                                                                            |
| Purification           | The antiserum was purified by peptide affinity chromatography.                                                                                                     |
| Form                   | Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.Store at -20 °C.Stable for 12 months from date of receipt        |
| Gene Name              | GPR18                                                                                                                                                              |
| Accession No.          | Q14330                                                                                                                                                             |
| Alternate Names        | G protein coupled receptor 18; GPCRW; GPR 18; GPR18; N arachidonyl glycine receptor; NAGly receptor;                                                               |

## Antibody Specification

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Description               | Receptor for endocannabinoid N-arachidonyl glycine (NAGly) (PubMed:16844083, PubMed:24762058, PubMed:27572937). However, conflicting results about the role of NAGly as an agonist are reported (PubMed:27018161). Can also be activated by plant-derived and synthetic cannabinoid agonists (PubMed:24762058). The activity of this receptor is mediated by G proteins which inhibit adenylyl cyclase (PubMed:16844083). May contribute to regulation of the immune system. Is required for normal homeostasis of CD8+ subsets of intraepithelial lymphocytes (IELs) (CD8alphaalpha and CD8alphabeta IELs)in small intestine by supporting preferential migration of CD8alphaalpha T-cells to intraepithelial compartment over lamina propria compartment, and by mediating their reconstitution into small intestine after bone marrow transplant (By similarity). Plays a role in hypotensive responses, mediating reduction in intraocular and blood pressure (By similarity). Mediates NAGly-induced process of reorganization of actin filaments and induction of acrosomal exocytosis (PubMed:27572937). |
| Cell Pathway/<br>Category | Primary Polyclonal Antibody                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Protein MW                | 35 KD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Usage                     | For Research Use Only! Not for diagnostic or therapeutic procedures.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |