

Immunotag™ RFC3 Antibody

Antibody Specification	
Catalog No.	ITA8341
Product Description	Immunotag™ RFC3 Antibody
Size	100 µg, 200 µg
Conjugation	HRP, Biotin, FITC, Alexa Fluor® 350, Alexa Fluor® 405, Alexa Fluor® 488, Alexa Fluor® 555, Alexa Fluor® 594, Alexa Fluor® 647
IMPORTANT NOTE	This product is custom manufactured with a lead time of 3-4 weeks. Once in production, this item cannot be cancelled from an order and is not eligible for return.
Target Protein	RFC3
Clonality	Polyclonal
Storage/Stability	-20°C/1 year
Application	WB,IHC,ELISA
Recommended Dilution	WB 1:1000-3000 IHC 1:200
Concentration	1 mg/ml
Reactive Species	Human,Mouse,Rat
Host Species	Rabbit
Immunogen	A synthesized peptide derived from human RFC3
Specificity	RFC3 Antibody detects endogenous levels of total RFC3
Purification	The antiserum was purified by peptide affinity chromatography.
Form	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.Store at -20 °C.Stable for 12 months from date of receipt
Gene Name	RFC3
Accession No.	P40938
Alternate Names	A1 38 kDa subunit; Activator 1 38 kDa subunit; Activator 1 subunit 3; HGNC:9971; MGC5276; Replication factor C (activator 1) 3; Replication factor C (activator 1) 3, 38kDa; Replication factor C 3; Replication factor C 38 kDa subunit; Replication factor C subunit 3; RF-C 38 kDa subunit; RFC 38 kD subunit; RFC 38 kDa subunit; RFC3; RFC3_HUMAN; RFC38;

Antibody Specification

Description	The elongation of primed DNA templates by DNA polymerase delta and epsilon requires the action of the accessory proteins proliferating cell nuclear antigen (PCNA) and activator 1.
Cell Pathway/ Category	Primary Polyclonal Antibody
Protein MW	40 kDa
Usage	For Research Use Only! Not for diagnostic or therapeutic procedures.