Immunotag™ TAF10 Antibody

| Antibody Specification | |
|-------------------------|--|
| Catalog No. | ITA8560 |
| Product Description | Immunotag™ TAF10 Antibody |
| Size | 100 μg, 200 μg |
| Conjugation | HRP, Biotin, FITC, Alexa Fluor® 350, Alexa Fluor® 405, Alexa Fluor® 488, Alexa Fluor® 555, Alexa Fluor® 594, Alexa Fluor® 647 |
| IMPORTANT NOTE | This product is custom manufactured with a lead time of 3-4 weeks. Once in production, this item cannot be cancelled from an order and is not eligible for return. |
| Target Protein | TAF10 |
| Clonality | Polyclonal |
| Storage/Stability | -20°C/1 year |
| Application | WB,ELISA |
| Recommended Dilution | WB 1:1000-3000 |
| Concentration | 1 mg/ml |
| Reactive Species | Human, Mouse |
| Host Species | Rabbit |
| Immunogen | A synthesized peptide derived from human TAF10 |
| Specificity | TAF10 Antibody detects endogenous levels of total TAF10 |
| Purification | The antiserum was purified by peptide affinity chromatography. |
| Form | Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at -20 °C. Stable for 12 months from date of receipt |
| Gene Name | TAF10 |
| Accession No. | Q12962 |
| Alternate Names | dTAF(II)24; TAF24; TAF2H; TAFII24; TAFII30; Transcription initiation factor TFIID 24 kDa subunit; Transcription initiation factor TFIID subunit 10; |
| Description | TAFs are components of the transcription factor IID (TFIID) complex, PCAF histone acetylase complex and TBP-free TAFII complex (TFTC). TIIFD is a multimeric protein complex that plays a central role in mediating promoter responses to various activators and repressors. |

| Antibody Specification | |
|---------------------------|--|
| Cell Pathway/ Category | Primary Polyclonal Antibody |
| Protein MW | 22 kDa |
| Usage | For Research Use Only! Not for diagnostic or therapeutic procedures. |

www.gbiosciences.com

© 2018 Geno Technology Inc., USA. All Rights Reserved.