

Immunotag™ GNA12 Polyclonal Antibody

Antibody Specification	
Catalog No.	ITN0752
Product Description	Immunotag™ GNA12 Polyclonal Antibody
Size	50 µg, 100 µg
Conjugation	HRP, Biotin, FITC, Alexa Fluor® 350, Alexa Fluor® 405, Alexa Fluor® 488, Alexa Fluor® 555, Alexa Fluor® 594, Alexa Fluor® 647
IMPORTANT NOTE	This product is custom manufactured with a lead time of 3-4 weeks. Once in production, this item cannot be cancelled from an order and is not eligible for return.
Target Protein	GNA12
Clonality	Polyclonal
Storage/Stability	-20°C/1 year
Application	WB,ELISA
Recommended Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Reactive Species	Human,Mouse,Rat
Host Species	Rabbit
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	GNA12 Polyclonal Antibody detects endogenous levels of protein.
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen
Form	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Gene Name	GNA12
Accession No.	Q03113 P27600 Q63210
Description	function:Guanine nucleotide-binding proteins (G proteins) are involved as modulators or transducers in various transmembrane signaling systems.,similarity:Belongs to the G-alpha family. G(12) subfamily.,subunit:G proteins are composed of 3 units; alpha, beta and gamma. The alpha chain contains the guanine nucleotide binding site. Interacts with UBXD5.,
Cell Pathway/ Category	MAPK_ERK_Growth,MAPK_G_Protein,Vascular smooth muscle contraction,Long-term depression,Regulates Actin and Cytoskeleton,

Antibody Specification

Protein Expression	Brain,Pancreas,Placenta,Uterus,
Subcellular Localization	heterotrimeric G-protein complex,plasma membrane,focal adhesion,brush border membrane,
Protein Function	function:Guanine nucleotide-binding proteins (G proteins) are involved as modulators or transducers in various transmembrane signaling systems.,similarity:Belongs to the G-alpha family. G(12) subfamily.,subunit:G proteins are composed of 3 units; alpha, beta and gamma. The alpha chain contains the guanine nucleotide binding site. Interacts with UBXD5.,
Usage	For Research Use Only! Not for diagnostic or therapeutic procedures.