

Immunotag™ TIG3 Polyclonal Antibody

Antibody Specification	
Catalog No.	ITN1211
Product Description	Immunotag™ TIG3 Polyclonal Antibody
Size	50 µg, 100 µg
Conjugation	HRP, Biotin, FITC, Alexa Fluor® 350, Alexa Fluor® 405, Alexa Fluor® 488, Alexa Fluor® 555, Alexa Fluor® 594, Alexa Fluor® 647
IMPORTANT NOTE	This product is custom manufactured with a lead time of 3-4 weeks. Once in production, this item cannot be cancelled from an order and is not eligible for return.
Target Protein	TIG3
Clonality	Polyclonal
Storage/Stability	-20°C/1 year
Application	WB,ELISA
Recommended Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Reactive Species	Human
Host Species	Rabbit
Immunogen	Synthesized peptide derived from human protein . at AA range: 80-160
Specificity	TIG3 Polyclonal Antibody detects endogenous levels of protein.
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen
Form	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Gene Name	RARRES3 RIG1 TIG3
Accession No.	Q9UL19

Antibody Specification

Description	retinoic acid receptor responder 3(RARRES3) Homo sapiens Retinoids exert biologic effects such as potent growth inhibitory and cell differentiation activities and are used in the treatment of hyperproliferative dermatological diseases. These effects are mediated by specific nuclear receptor proteins that are members of the steroid and thyroid hormone receptor superfamily of transcriptional regulators. RARRES1, RARRES2, and RARRES3 are genes whose expression is upregulated by the synthetic retinoid tazarotene. RARRES3 is thought act as a tumor suppressor or growth regulator. [provided by RefSeq, Jul 2008],
Protein Expression	Lung,Spleen,
Subcellular Localization	integral component of membrane,
Protein Function	function:May be a growth regulator that mediates some of the growth suppressive effects of retinoids.,induction:By tazarotene.,similarity:Belongs to the H-rev107 family.,tissue specificity:Expressed in many tissues. Not expressed in heart, brain, and testis.,
Usage	For Research Use Only! Not for diagnostic or therapeutic procedures.