

Immunotag™ TAAR8 Polyclonal Antibody

Antibody Specification	
Catalog No.	ITN2786
Product Description	Immunotag™ TAAR8 Polyclonal Antibody
Size	50 µg, 100 µg
Conjugation	HRP, Biotin, FITC, Alexa Fluor® 350, Alexa Fluor® 405, Alexa Fluor® 488, Alexa Fluor® 555, Alexa Fluor® 594, Alexa Fluor® 647
IMPORTANT NOTE	This product is custom manufactured with a lead time of 3-4 weeks. Once in production, this item cannot be cancelled from an order and is not eligible for return.
Target Protein	TAAR8
Clonality	Polyclonal
Storage/Stability	-20°C/1 year
Application	WB,ELISA
Recommended Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Reactive Species	Human
Host Species	Rabbit
Immunogen	Synthesized peptide derived from human protein . at AA range: 110-190
Specificity	TAAR8 Polyclonal Antibody detects endogenous levels of protein.
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen
Form	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Gene Name	TAAR8 GPR102 TA5 TAR5 TRAR5
Accession No.	Q969N4
Description	trace amine associated receptor 8(TAAR8) Homo sapiens This gene is part of the trace amine receptor cluster on chromosome 6 and encodes an orphan G-protein coupled receptor. Upregulated expression of this gene in astroglial cells upon exposure to lipopolysaccharides suggests a function for the encoded protein in the brain. [provided by RefSeq, Jul 2016],

Antibody Specification

Cell Pathway/ Category	Neuroactive ligand-receptor interaction,
Subcellular Localization	plasma membrane,integral component of membrane,
Protein Function	function:Orphan receptor. Could be a receptor for trace amines. Trace amines are biogenic amines present in very low levels in mammalian tissues. Although some trace amines have clearly defined roles as neurotransmitters in invertebrates, the extent to which they function as true neurotransmitters in vertebrates has remained speculative. Trace amines are likely to be involved in a variety of physiological functions that have yet to be fully understood.,similarity:Belongs to the G-protein coupled receptor 1 family.,tissue specificity:Expressed in kidney and amygdala. Not expressed in other tissues or brain regions tested.,
Usage	For Research Use Only! Not for diagnostic or therapeutic procedures.