## Immunotag<sup>™</sup> Oct-6 Polyclonal Antibody

Antibody Specification	
Catalog No.	ITT3234
Product Description	Immunotag™ Oct-6 Polyclonal Antibody
Size	50 μg, 100 μg
Conjugation	HRP, Biotin, FITC, Alexa Fluor® 350, Alexa Fluor® 405, Alexa Fluor® 488, Alexa Fluor® 555, Alexa Fluor® 594, Alexa Fluor® 647
IMPORTANT NOTE	This product is custom manufactured with a lead time of 3-4 weeks. Once in production, this item cannot be cancelled from an order and is not eligible for return.
Target Protein	Oct-6
Clonality	Polyclonal
Storage/Stability	-20°C/1 year
Application	WB,ELISA
Recommended Dilution	Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.
Concentration	1 mg/ml
Reactive Species	Human,Mouse,Rat
Host Species	Rabbit
Immunogen	Synthesized peptide derived from Oct-6, at AA range: 280-360
Specificity	Oct-6 Polyclonal Antibody detects endogenous levels of 40822 protein.
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen
Form	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Gene Name	POU3F1
Accession No.	Q03052 P21952 P20267
Alternate Names	POU3F1; OCT6; OTF6; POU domain; class 3, transcription factor 1; Octamer-binding protein 6; Oct-6; Octamer-binding transcription factor 6; OTF-6; POU domain transcription factor SCIP

Antibody Specification	
Description	function:Transcription factor that binds to the octamer motif (5'-ATTTGCAT-3'). Thought to be involved in early embryogenesis and neurogenesis.,similarity:Belongs to the POU transcription factor family. Class-3 subfamily.,similarity:Contains 1 homeobox DNA-binding domain.,similarity:Contains 1 POU-specific domain.,tissue specificity:Expressed in embryonal stem cells and in the developing brain.,
Subcellular Localization	nucleus,transcription factor complex,
Protein Function	function:Transcription factor that binds to the octamer motif (5'-ATTTGCAT-3'). Thought to be involved in early embryogenesis and neurogenesis.,similarity:Belongs to the POU transcription factor family. Class-3 subfamily.,similarity:Contains 1 homeobox DNA-binding domain.,similarity:Contains 1 POU-specific domain.,tissue specificity:Expressed in embryonal stem cells and in the developing brain.,
Usage	For Research Use Only! Not for diagnostic or therapeutic procedures.

www.gbiosciences.com