

## **DATASHEET** Version 20181206

## IL-8/CXCL8 (8-79aa), Human

Cat. No.: Z02195-50

Size: 50.0 ug

Synonyms: Interleukin (IL)-8 (8-79);

## **Description:**

Interleukin-8 (IL-8) belongs to the neutrophil-specific CXC family of chemokines. It is one of the initial cytokines released from a variety of cell types, including T cells, endothelial cells and fibroblasts, in response to an inflammatory stimulus and acts by recruiting neutrophils, T-cells and basophils to the site of inflammation. Elevated Interleukin-8 levels are associated with the onset of a variety of disease states.

GenScript Interleukin-8 (IL-8) (8-79), produced in *E. coli* is a single, non-glycosylated polypeptide chain containing 72 amino acids and having a molecular mass of 8,452 Da.

Source: E. coli Species: Human

Molecular Weight: 8,000 Da+/-10% determined by

reduced SDS-PAGE

**Formulation**: The protein was lyophilized after extensive dialysis against PBS, pH7.4.

**Reconstitution**: It is recommended to reconstitute the lyophilized recombinant human Interleukin-8 (IL-8) (8-79) in sterile 18 M $\Omega$ -cm H $_2$ O not less than 100 µg/ml, which can then be further diluted to other aqueous solutions.

Purity: Greater than 95.0% as determined by

(a) Analysis by RP-HPLC

(b) Analysis by reducing and non-reducing SDS-PAGE silver stained gel

**Endotoxin Level**: Less than  $0.1 ng/\mu g$  (1 EU/ $\mu g$ ) determined by LAL test.

**Storage**: Lyophilized recombinant Interleukin-8 (IL-8) (8-79) although stable at room temperature for 3 weeks, should be stored desiccated below -18°C. Upon reconstitution recombinant Interleukin-8 (IL-8) (8-79) should be stored at 4°C between 2-7 days and for future use below -18°C. For long-term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Please avoid freeze-thaw cycles.