Biotinylated Human ALCAM/CD166 Protein (Primary Amine Labeling)






Description	
Source	Recombinant Biotinylated Human ALCAM/CD166 Protein (Primary Amine Labeling) is expressed from HEK293 with His tag at the C-Terminus.
	It contains Trp28-Ala526.
Accession	Q13740-1
Molecular Weight	The protein has a predicted MW of 57 kDa. Due to glycosylation, the protein migrates to 70-80 kDa based on Bis- Tris PAGE result.
Endotoxin	Less than 1 EU per ug by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
Formulation and Storage	
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Background	
	Brain metastasis (BM) in non-small-cell lung cancer (NSCLC) has a very poor prognosis. Recent studies have demonstrated the importance of cell adhesion molecules in tumor metastasis. Elevated levels of ALCAM expression promote BM formation in NSCLC through increased tumor cell dissemination and interaction with the brain endothelial cells. Therefore, ALCAM could be targeted to reduce the occurrence of BM.

Assay Data

Bis-Tris PAGE



Biotinylated Human ALCAM (Primary Amine Labeling) on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.


ELISA Data

KAGTUS

Assay Data

Biotinylated Human ALCAM, His Tag ELISA

0.5μg Anti-ALCAM Antibody, hFc Tag Per Well



Log Biotinylated Human ALCAM, His Tag Conc.(μg/ml)

Immobilized Anti-ALCAM Antibody, hFc Tag at $5\mu g/ml$ (100 $\mu l/well$) on the plate. Dose response curve for Biotinylated Human ALCAM, His Tag with the EC50 of 2.62 $\mu g/ml$ determined by ELISA.