
Human ACVR1B/Activin RIB Protein





Description	
Source	Recombinant Human ACVR1B/Activin RIB Protein is expressed from HEK293 with His tag at the C-terminus.
	It contains Ser24-Glu126.
Accession	P36896-1
Molecular Weight	The protein has a predicted MW of 12.51 kDa. Due to glycosylation, the protein migrates to 15-25 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22 μ m filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

Activin A receptor type I (ACVR1) encodes for a bone morphogenetic protein type I receptor of the TGFβ receptor superfamily. It is involved in a wide variety of biological processes, including bone, heart, cartilage, nervous, and reproductive system development and regulation. Moreover, ACVR1 has been extensively studied for its causal role in fibrodysplasia ossificans progressiva (FOP), a rare genetic disorder characterised by progressive heterotopic ossification. ACVR1 is linked to different pathologies, including cardiac malformations and alterations in the reproductive system.

Assay Data


Bis-Tris PAGE



Human ACVR1B on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.


KAGTUS

Assay Data




The purity of Human ACVR1B is greater than 95% as determined by SEC-HPLC.

SPR Data



Human ACVR1B, His Tag captured on CM5 Chip via Anti-His Antibody can bind Human Activin A, No Tag with an affinity constant of 18.43 nM as determined in SPR assay (Biacore T200).



Human ACVR1B, His Tag Tag immobilized on CM5 Chip can bind Human TDGF1, His Tag with an affinity constant of 0.16 μ M as determined in SPR assay (Biacore T200).