

FITC-Compatible Human CD19 Protein



Cat. No. CD1-HM119F


Description	
Source	FITC-Compatible Human CD19 Protein is expressed from HEK293 with His tag at the C-Terminus. It contains Pro20-Lys291.
Accession	P15391-1
Molecular Weight	The protein has a predicted MW of 60.1 kDa. Due to glycosylation, the protein migrates to 68-72 kDa based on Bis-Tris PAGE result.
Wavelength	Excitation Wavelength: 490 nm
	Emission Wavelength: 520 nm
Endotoxin	Less than 1 EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC

Formulation and Storage	
Formulation	Supplied as 0.22 µm filtered solution in PBS (pH 7.4).
Storage	Valid for 12 months from date of receipt when stored at -80°C. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background	
	CD19 is a B-lineage-specific transmembrane glycoprotein, the expression of which is maintained on more than 95% B-cell malignancies. This strict lineage restriction makes CD19 an ideal target for immune therapies using chimeric antigen receptors (CARs). T cells engineered to express a chimeric antigen receptor (CAR) against CD19 have recently been FDA approved for the treatment of relapsed or refractory large B-cell lymphoma. Despite the success and curative potential of CD19 CAR T cells, several reports describing disease relapse due to antigen loss are now emerging.

Assay Data

Bis-Tris PAGE



FITC-Compatible Human CD19 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.


SEC-HPLC

FITC-Compatible Human CD19 Protein

Cat. No. CD1-HM119F




Assay Data



The purity of FITC-Compatible Human CD19 is greater than 95% as determined by SEC-HPLC.


ELISA Data

FITC-Compatible Human CD19, His Tag ELISA
0.2µg FITC-Compatible Human CD19, His Tag Per Well



Immobilized FITC-Compatible Human CD19, His Tag at 2µg/ml (100µl/well) on the plate. Dose response curve for Anti-CD19 Antibody, hFc Tag with the EC50 of 9.3ng/ml determined by ELISA (QC Test).

FACS Data



FACS Analysis of Anti-CD19 CAR expression. 293T cells were transfected with anti-CD19-scFv and His tag. Cells were incubated with 10 µg/ml FITC-compatible Human CD19, His Tag and FITC-labeled protein control. Non-transfected 293T cells and FITC-labeled protein control were used as negative control.