## Human CD20/MS4A1 Protein

Cat. No. CD2-HE120



Description	
Source	Recombinant Human CD20/MS4A1 Protein is expressed from E.coli with His tag and Avi tag at the C-Terminus.
	It contains Ile141-Ser188.
Accession	P11836-1
Molecular Weight	The protein has a predicted MW of 16.8 kDa same as Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE

## Formulation and Storage

Formulation Supplied as 0.22µm filtered solution in 20mM PB, 10% Glycerol, 0.4M Urea, 1mM GSH, 0.1mM GSSG (pH 7.0).


Storage Valid for 12 months from date of receipt when stored at -80°C. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

B-lymphocyte antigen CD20 or CD20 is an activated-glycosylated phosphoprotein expressed on the surface of all B-cells beginning at the pro-B phase (CD45R , CD117) and progressively increasing in concentration until maturity.CD20 is the target of the monoclonal antibodies rituximab, ocrelizumab, obinutuzumab, ofatumumab, ibritumomab tiuxetan, tositumomab, and ublituximab, which are all active agents in the treatment of all B cell lymphomas, leukemias, and B cell-mediated autoimmune diseases.

## **Assay Data**

#### **Bis-Tris PAGE**



Human CD20 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.


**ELISA Data** 

**Assay Data** 



# **Human CD20, His Tag ELISA**

0.5μg Human CD20, His Tag Per Well



Log Anti-CD20 Antibody, hFc Tag Conc.(µg/ml)

Immobilized Human CD20, His Tag at  $5\mu$ g/ml (100 $\mu$ l/well) on the plate. Dose response curve for Anti-CD20 Antibody, hFc Tag with the EC50 of 0.11 $\mu$ g/ml determined by ELISA (QC Test).