Cynomolgus CD30/TNFRSF8 Protein

Cat. No. CD3-CM130

Description

Source	Recombinant Cynomolgus CD30/TNFRSF8 Protein is expressed from HEK293 with His tag at the C-Terminus.
	It contains Ala27-Pro394.
Accession	A0A2K5VW07
Molecular Weight	The protein has a predicted MW of 39.86 kDa. Due to glycosylation, the protein migrates to 75-105 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC

Formulation and Storage

Formulation	Lyophilized from 0.22 μm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt.-80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

The transmembrane receptor CD30 (TNFRSF8) and its ligand CD30L (CD153, TNFSF8) are members of the tumor necrosis factor (TNF) superfamily and display restricted expression in subpopulations of activated T-and B-cells in nonpathologic conditions. CD30 expression is upregulated in various hematological malignancies, including Reed-Sternberg cells in Hodgkin's disease (HD), anaplastic large cell lymphoma (ALCL) and subsets of Non-Hodgkin's lymphomas (NHLs).

Assay Data

Bis-Tris PAGE



Cynomolgus CD30 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

Cynomolgus CD30/TNFRSF8 Protein

Cat. No. CD3-CM130

Assay Data



The purity of Cynomolgus CD30 is greater than 95% as determined by SEC-HPLC.

ELISA Data



Immobilized Cynomolgus CD30, His Tag at 2 μg/ml (100 μl/Well) on the plate. Dose response curve for Anti-CD30 Antibody, hFc Tag with the EC50 of 6.0 ng/ml determined by ELISA (QC Test).