Human CD59 Protein

Cat. No. CD5-HM259



Description	
Source	Recombinant Human CD59 Protein is expressed from HEK293 with hFc tag at the C-Terminus.
	It contains Leu26-Asn102.
Accession	P13987-1
Molecular Weight	The protein has a predicted MW of 35.73 kDa. Due to glycosylation, the protein migrates to 45-50 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

CD59 regulates complement activation cascade at the final step, inhibiting formation of membrane attack complex (MAC). This protein, being anchored to the cell membrane via glycosyl phosphatidyl inositol (GPI), is expressed ubiquitously on cells which are in contact with body fluids containing components.

Assay Data

Bis-Tris PAGE




Human CD59 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC



Assay Data



The purity of Human CD59 is greater than 95% as determined by SEC-HPLC.