## Cynomolgus/Rhesus macaque CD47 Protein

Cat. No. CD7-CM147




Description	
Source	Recombinant Cynomolgus/Rhesus macaque CD47 Protein is expressed from HEK293 with His tag at the C-Terminus.
	It contains Gln19-Glu141.
Accession	F7A802
Molecular Weight	The protein has a predicted MW of 15 kDa. Due to glycosylation, the protein migrates to 45-65 kDa based on Bis- Tris PAGE result.
Endotoxin	Less than 1 EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC
Formulation and Storage	
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Background	

CD47 (Cluster of Differentiation 47) also known as integrin associated protein (IAP) is a transmembrane protein that in humans is encoded by the CD47 gene. CD47 belongs to the immunoglobulin superfamily and partners with membrane integrins and also binds the ligands thrombospondin-1 (TSP-1) and signal-regulatory protein alpha (SIRPα).CD-47 acts as a don't eat me signal to macrophages of the immune system which has made it a potential therapeutic target in some cancers.

### **Assay Data**

### **Bis-Tris PAGE**




Cynomolgus/Rhesus macaque CD47 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

**SEC-HPLC** 

# KAGTUS

## **Assay Data**




The purity of Cynomolgus/Rhesus macaque CD47 is greater than 95% as determined by SEC-HPLC.

#### **ELISA Data**


# Cynomolgus/Rhesus macaque CD47, His Tag ELISA

0.5µg Cynomolgus/Rhesus macaque CD47, His Tag Per Well



Immobilized Cynomolgus/Rhesus macaque CD47, His Tag at 5µg/ml (100µl/well) on the plate. Dose response curve for Human SIRP alpha, hFc Tag with the EC50 of 0.11ug/ml determined by ELISA (QC Test).

#### **SPR Data**



Cynomolgus SIRP alpha, His Tag immobilized on CM5 Chip can bind Cynomolgus /Rhesus macaque CD47, His Tag with an affinity constant of 63.27 nM as determined in SPR assay (Biacore T200).