## **Human CD79B Protein**

#### Cat. No. CD7-HM49B



| Description         |  |
|---------------------|--|
| Source              | Recombinant Human CD79B Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus.                               |
|                     | It contains Ala29-Asp159.  |
| Accession           | P40259-1   |
| Molecular<br>Weight | The protein has a predicted MW of 18.1 kDa. Due to glycosylation, the protein migrates to 33-42 kDa based on Bis-Tris PAGE result. |
| Endotoxin           | Less than 1 EU per μg by the LAL method.   |
| Purity              | > 95% as determined by Bis-Tris PAGE   |
|                     | > 90% as determined by HPLC  |
|                     |  |

## Formulation and Storage


| Formulation    | Lyophilized from 0.22 μm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.   |
|----------------|---|
| Reconstitution | Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.   |
| Storage        | -20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles. |

# Background

CD79B (also known as B29, Ig beta and B cell antigen receptor complex-associated protein beta-chain) is a 36-40 kDa member of the Ig-Superfamily. It is required in cooperation with CD79A for initiation of the signal transduction cascade activated by the B-cell antigen receptor complex (BCR) which leads to internalization of the complex, trafficking to late endosomes and antigen presentation. Enhances phosphorylation of CD79A, possibly by recruiting kinases which phosphorylate CD79A or by recruiting proteins which bind to CD79A and protect it from dephosphorylation.

## **Assay Data**

#### **Bis-Tris PAGE**



Human CD79B on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.


**SEC-HPLC** 

# **Human CD79B Protein**

Cat. No. CD7-HM49B



# Assay Data



The purity of Human CD79B is greater than 90% as determined by SEC-HPLC.




## **Assay Data**

**ELISA Data** 

# Human CD79B, His Tag ELISA

0.1μg Human CD79B, His Tag Per Well



 $Log\ Anti-CD79B\ Antibody,\ hFc\ Tag\ Conc.(\mu g/ml)$ 

Immobilized Human CD79B, His Tag at 1  $\mu$ g/ml (100  $\mu$ l/Well). Dose response curve for Anti-CD79B Antibody, hFc Tag with the EC50 of 2.1ng/ml determined by ELISA (QC Test).