

Human DKK1 Protein



Cat. No. DKK-HM101

Description	
Source	Recombinant Human DKK1 Protein is expressed from HEK293 with His tag at the C-Terminus. It contains Thr32-His266.
Accession	O94907
Molecular Weight	The protein has a predicted MW of 26.87 kDa. Due to glycosylation, the protein migrates to 42-52 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE

Formulation and Storage	
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -80°C for 3 months after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background	
Dickkopf related protein 1 (Dkk-1) is the founding member of the Dickkopf family of proteins that includes Dkk-1, -2, -3, -4, and a related protein, Soggy. Dkk proteins are secreted proteins that contain two conserved cysteine-rich domains separated by a linker region. Dkk antagonizes canonical Wnt signaling by inhibiting LRP5/6 interaction with Wnt and by forming a ternary complex with the transmembrane protein KREMEN that promotes internalization of LRP5/6. DKKs play an important role in vertebrate development, where they locally inhibit Wnt regulated processes such as antero-posterior axial patterning, limb development, somitogenesis and eye formation.	

Assay Data


Bis-Tris PAGE



ELISA Data

Human DKK1, His Tag ELISA

0.5µg Human DKK1, His Tag Per Well




Immobilized Human DKK1, His Tag at 5µg/ml (100µl/well) on the plate. Dose response curve for Human LRP-5, mFc Tag with the EC50 of 0.63µg/ml determined by ELISA (QC Test).

ELISA Data

Human DKK1, His Tag ELISA

0.5µg Human DKK1, His Tag Per Well




Immobilized Human DKK1, His Tag at 5µg/ml (100µl/well) on the plate. Dose response curve for Human LRP-6, mFc Tag with the EC50 of 1.03µg/ml determined by ELISA.

ELISA Data

Assay Data

Human DKK1, His Tag ELISA

0.05µg Human DKK1, His Tag Per Well



Immobilized Human DKK1, His Tag at 0.5µg/ml (100µl/well) on the plate. Dose response curve for Anti-DKK1 Antibody, hFc Tag with the EC50 of 5.1ng/ml determined by ELISA.