Biotinylated Cynomolgus EPHA2 Protein

instructions.

Cat. No. EPH-CM4A2B



Description	
Source	Recombinant Biotinylated Cynomolgus EPHA2 Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus.
	It contains Ala24-Ser534.
Accession	Q1KL86
Molecular Weight	The protein has a predicted MW of 59.2 kDa. Due to glycosylation, the protein migrates to 55-70 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC
Formulation and	Storage
Formulation	Lyophilized from 0.22 μm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed

Background

Storage


Ephrin type-A receptor 2 (EPHA2) is a receptor tyrosine kinase (RTK), whose over-expression has been observed in a variety of cancers, including breast cancer. EPHA2 expression may be causally related to tumorigenesis; therefore, it is important to understand how EPHA2 gene (EPHA2) expression is regulated.

to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

-20 to -80°C for 12 months as supplied from date of receipt.-80°C for 3 months after reconstitution.Recommend

Assay Data

Bis-Tris PAGE




Biotinylated Cynomolgus EPHA2 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

Cat. No. EPH-CM4A2B



Assay Data



The purity of Biotinylated Cynomolgus EPHA2 is greater than 95% as determined by SEC-HPLC.