Human FOLR4/Juno Protein

Cat. No. FOL-HM1R4



| Description | |
|---------------------|--|
| Source | Recombinant Human FOLR4/Juno Protein is expressed from HEK293 with His tag at the C-Terminus. |
| | It contains Gly20-Ser228. |
| Accession | A6ND01-1 |
| Molecular Weight | The protein has a predicted MW of 25 kDa. Due to glycosylation, the protein migrates to 30-35 kDa based on Bis-Tris PAGE result. |
| Endotoxin | Less than 1 EU per ug by the LAL method. |
| Purity | > 95% as determined by Bis-Tris PAGE |
| | > 95% as determined by HPLC |
| | |

Formulation and Storage


| Formulation | Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization. |
|----------------|---|
| Reconstitution | Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions. |
| Storage | -20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles. |

Background

Izumo1 is the only essential sperm-egg fusion protein currently known on mammalian sperm, and its egg receptor (Juno; formerly Folr4) was recently discovered. Male knockout mice for Izumo1 and female knockout mice for Juno are both healthy but sterile. Here, both sperm-egg binding proteins are shown to be evolving under positive selection. Juno's presence in mammals alone, suggesting a recent mammalian-specific duplication and neofunctionalization of the ancestral folate receptor.

Assay Data

Bis-Tris PAGE




Human FOLR4 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

Cat. No. FOL-HM1R4



Assay Data



The purity of Human FOLR4 is greater than 95% as determined by SEC-HPLC.