

Mouse HPX Protein

Cat. No. HPX-MM101



Description

Source	Recombinant Mouse HPX Protein is expressed from HEK293 with His tag at the C-Terminus.
	It contains Ser24-Gln460.
Accession	Q91X72
Molecular Weight	The protein has a predicted MW of 50 kDa. Due to glycosylation, the protein migrates to 65-70 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in 50mM MES, 150mM NaCl (pH 6.0). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in 50mM MES, 150mM NaCl (pH 6.0). Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -80°C for 3 months after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

Hemopexin (HPX) serves as scavenger and transporter of toxic plasma heme to the liver. HPX is formed by two four-bladed beta-propeller domains, resembling two thick disks that lock together at a 90 degrees angle. The heme is bound between the two beta-propeller domains in a pocket formed by the interdomain linker peptide. HPX, acting not only as a heme carrier but also displaying transient heme-based ligand binding and (pseudo-)enzymatic properties, could be considered a 'chronosteric' heme-protein.

Assay Data

Bis-Tris PAGE



Mouse HPX on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.


SEC-HPLC

Mouse HPX Protein

Cat. No. HPX-MM101



Assay Data



The purity of Mouse HPX is greater than 95% as determined by SEC-HPLC.

Bioactivity Data

Measured by its ability to bind protoporphyrin IX (PPPIX). Recombinant Mouse Hemopexin binds > 15 μ M PPPIX, resulting in a 50% decrease in the fluorescence signal of Mouse Hemopexin.