## Biotinylated Human Integrin alpha 2 beta 1 (ITGA2&ITGB1) Heterodimer Protein





Description		
Source	Recombinant Biotinylated Human Integrin alpha 2 beta 1 (ITGA2&ITGB1) Heterodimer Protein is expressed from HEK293 with His tag and Avi tag at the C-terminus.	
	It contains Tyr30-Thr1132 (ITGA2) and Gln21-Asp728 (ITGB1).	
Accession	P17301(ITGA2)&P05556-1(ITGB1)	
Molecular Weight	The protein has a predicted MW of 128.45 kDa (ITGA2) and 83.19 kDa (ITGB1). Due to glycosylation, the protein migrates to 110-130 kDa and 140-160 kDa based on Bis-Tris PAGE result.	
Endotoxin	Less than 0.1 EU per μg by the LAL method.	
Purity	> 95% as determined by Bis-Tris PAGE	
	> 95% as determined by HPLC	
Formulation and	l Storage	

#### Formulation and Storage

Formulation	Supplied as 0.22 µm filtered solution in PBS (pH 7.4).
-------------	--

Valid for 12 months from date of receipt when stored at -80°C. Recommend to aliquot the protein into smaller Storage quantities for optimal storage. Please minimize freeze-thaw cycles.

### **Background**

The α2β1 integrin, also known as VLA-2, GPIa-IIa, CD49b, was first identified as an extracellular matrix receptor for collagens and/or laminins. It is now recognized that the α2β1 integrin serves as a receptor for many matrix and nonmatrix molecules. It plays a critical role in platelet function and homeostasis.

### **Assay Data**

#### **Bis-Tris PAGE**




**SEC-HPLC** 

Biotinylated Human ITGA2&ITGB1 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.



# **Assay Data**



The purity of Biotinylated Human ITGA2&ITGB1 is greater than 95% as determined by SEC-HPLC.