

Biotinylated Human HLA-E*01:03&B2M&Peptide (VMAPRTLVL) Monomer Protein



Cat. No. MHC-HM406B


Description	
Source	Recombinant Biotinylated Human HLA-E*01:03&B2M&Peptide (VMAPRTLVL) Monomer Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus. It contains Gly22-Thr302(HLA-E*01:03), Ile21-Met119(B2M) and VMAPRTLVL peptide.
Accession	P13747(HLA-E*01:03)&P61769(B2M)&VMAPRTLVL
Molecular Weight	The protein has a predicted MW of 50.2 kDa. Due to glycosylation, the protein migrates to 52-60 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE > 95% as determined by HPLC

Formulation and Storage	
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -80°C for 3 months after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background	
HLA-E is a nonclassical member of the major histocompatibility complex class I gene locus. HLA-E protein shares a high level of homology with MHC Ia classical proteins: it has similar tertiary structure, associates with β2-microglobulin, and is able to present peptides to cytotoxic lymphocytes. The main function of HLA-E under normal conditions is to present peptides derived from the leader sequences of classical HLA class I proteins, thus serving for monitoring of expression of these molecules performed by cytotoxic lymphocytes.	

Assay Data

Bis-Tris PAGE



Biotinylated Human HLA-E*01:03&B2M&Peptide (VMAPRTLVL) Monomer on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.


SEC-HPLC

Biotinylated Human HLA-E*01:03&B2M&Peptide (VMAPRTLVL) Monomer Protein



Cat. No. MHC-HM406B

Assay Data



The purity of Biotinylated Human HLA-E*01:03&B2M&Peptide (VMAPRTLVL) Monomer is greater than 95% as determined by SEC-HPLC.

Biotinylated Human HLA-E*01:03&B2M&Peptide (VMAPRTLVL) Monomer Protein




Cat. No. MHC-HM406B

Assay Data

ELISA Data

Biotinylated Human HLA-E*01:03&B2M&Peptide (VMAPRTLVL) Monomer, His Tag ELISA
0.05µg Biotinylated Human HLA-E*01:03&B2M&Peptide (VMAPRTLVL) Monomer, His Tag Per Well



Immobilized Biotinylated Human HLA-E*01:03&B2M&Peptide (VMAPRTLVL) Monomer, His Tag at 0.5µg/ml (100µl/Well) on streptavidin (5µg/ml) precoated plate. Dose response curve for Anti-B2M Antibody, mFc Tag with the EC50 of 5.7ng/ml determined by ELISA (QC Test).