## Biotinylated Human Peptide Ready HLA-A\*33:03&B2M Monomer Protein





Description	
Source	Recombinant Biotinylated Human Peptide Ready HLA-A*33:03&B2M Monomer Protein is expressed from HEK293 with His tag and Avi tag at the C-terminus.
	It contains Gly25-Thr305(HLA-A*33:03) and Ile21-Met119(B2M).
Accession	VCU43110.1(HLA-A*33:03)&P61769(B2M)
Molecular Weight	The protein has a predicted MW of 48.3 kDa. Due to glycosylation, the protein migrates to 50-65 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC

## Formulation and Storage

Formulation Supplied as 0.22 µm filtered solution in PBS, 100mM L-Arginine (pH 7.4).

Storage Valid for 12 months from date of receipt when stored at -80°C. Recommend to aliquot the protein into smaller


quantities for optimal storage. Please minimize freeze-thaw cycles.

## **Background**

HLA-A\*33:03&B2M&Peptide ready Monomer is absent from peptide, namely peptide-receptive MHC. It can be loaded with antigenic peptides matching HLA-A\*33:03. Peptide ready MHC molecules comprising human HLA alleles and B2M, which can be readily tetramerized and loaded with peptides of choice in a high-throughput manner.

## **Assay Data**

#### **Bis-Tris PAGE**




**SEC-HPLC** 

Biotinylated Human Peptide Ready HLA-A\*33:03&B2M Monomer on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.




## **Assay Data**



The purity of Biotinylated Human Peptide Ready HLA-A\*33:03&B2M Monomer is greater than 95% as determined by SEC-HPLC.

### **ELISA Data**

# Biotinylated Human Peptide Ready HLA-A\*33:03&B2M Monomer, His Tag ELISA 0.05µg Biotinylated Human Peptide Ready HLA-A\*33:03&B2M Monomer, His Tag Per Well



Immobilized Biotinylated Human Peptide Ready HLA-A\*33:03&B2M Monomer, His Tag at 0.5µg/ml (100µl/well) on the streptavidin precoated plate (5µg/ml). Dose response curve for Anti-HLA class I (W6/32) Antibody, hFc Tag with the EC50 of 3.5ng/ml determined by ELISA.