Biotinylated Mouse uPAR/PLAUR Domain (2+3) Protein





| Description | |
|---------------------|---|
| Source | Recombinant Biotinylated Mouse uPAR/PLAUR Domain (2+3) Protein is expressed from HEK293 with His tag and Avi tag at the C-terminus. |
| | It contains Leu117-Gly298. |
| Accession | P35456-1 |
| Molecular Weight | The protein has a predicted MW of 22.37 kDa. Due to glycosylation, the protein migrates to 40-60 kDa based on Bis-Tris PAGE result. |
| Endotoxin | Less than 1 EU per μg by the LAL method. |
| Purity | > 95% as determined by Bis-Tris PAGE |
| | > 95% as determined by HPLC |
| Formulation and S | torage |
| Formulation | Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization. |
| Reconstitution | Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions. |
| Storage | -20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend |


The receptor (u-PAR) for urokinase plasminogen activator (u-PA) is a three-domain protein, GPI-anchored to the cell surface, which focuses the enzymatic activity of u-PA, and allows the cell surface activation of plasminogen. Regulation of the activity of u-PA is also mediated by u-PAR.

to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Assay Data

Background

Bis-Tris PAGE




SEC-HPLC

Biotinylated Mouse uPAR Domain (2+3) on Bis-Tris PAGE under reduced condition. The purity is greater than 95%. Cat. No. PAR-MM1D2B



Assay Data



The purity of Biotinylated Mouse uPAR Domain (2+3) is greater than 95% as determined by SEC-HPLC.