

Mouse PGF Protein

Cat. No. PGF-MM201




Description	
Source	Recombinant Mouse PGF Protein is expressed from HEK293 with hFc tag at the C-Terminus. It contains Val19-Pro158.
Accession	P49764
Molecular Weight	The protein has a predicted MW of 42.4 kDa. Due to glycosylation, the protein migrates to 55-65 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE > 95% as determined by HPLC

Formulation and Storage	
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -80°C for 3 months after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background	
Placental growth factor (PGF) is another member of the VEGF family of cytokines with pro-angiogenic and pro-inflammatory effects. Retinal inhibition of PGF in combination with VEGF-A prevents vascular leakage and CNV possibly via modulating their own expression in mononuclear phagocytes. PGF-related, optimized strategies to target inflammation-mediated angiogenesis may help to increase efficacy and reduce non-responders in the treatment of wet AMD patients.	

Assay Data


Bis-Tris PAGE



Mouse PGF on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC


Assay Data



The purity of Mouse PGF is greater than 95% as determined by SEC-HPLC.

ELISA Data

Mouse PGF, hFc Tag ELISA
0.5µg Human VEGF R1, His Tag Per Well



Immobilized Human VEGF R1, His Tag at 5µg/ml (100µl/well) on the plate. Dose response curve for Mouse PGF, hFc Tag with the EC50 of 3.9ng/ml determined by ELISA (QC Test).