Human TIMP-1 Protein

Cat. No. TIM-HM201



Recombinant Human TIMP-1 Protein is expressed from HEK293 with hFc tag at the N-Terminus.
It contains Cys24-Ala207.
NP_003245.1
The protein has a predicted MW of 47.01 kDa. Due to glycosylation, the protein migrates to 55-65 kDa based on Bis-Tris PAGE result.
Less than 1 EU per μg by the LAL method.
> 95% as determined by Bis-Tris PAGE
> 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

Tissue inhibitor of metalloprotease-1 (TIMP-1) is a tissue inhibitor of matrix metalloproteinases (MMPs). It however exerts multiple effects on biological processes, such as cell growth, proliferation, differentiation and apoptosis, in an MMP-independent manner.

Assay Data

Bis-Tris PAGE




Human TIMP-1 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

Cat. No. TIM-HM201



Assay Data



The purity of Human TIMP-1 is greater than 95% as determined by SEC-HPLC.