

Human Keratin 14/KRT14 antibody

Catalog Number: ATGA0338

PRODUCT INFORMATION

Catalog number

ATGA0338

Clone No.

AT13F4

Product type

Monoclonal Antibody

UnitProt No.

P02533

NCBI Accession No.

AAH19097

Alternative Names

Keratin 14, cytokeratin 14, GIG36, MGLAP, NTI

PRODUCT SPECIFICATION

Antibody Host

Mouse

Reacts With

Human

Concentration

1mg/ml (determined by BCA assay)

Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) with 0.02% Sodium Azide, 10% glycerol

Immunogen

Recombinant human KRT14 (1-472aa) purified from E. coli.

Isotype

IgG2a kappa

Purification Note

By protein-A affinity chromatography

Application

ELISA, WB, ICC/IF, IHC, FACS

Usage

The antibody has been tested by ELISA, Western blot, ICC/IF, FACS and IHC analysis to assure specificity and reactivity. Since application varies, however, each investigation should be titrated by the reagent to obtain optimal results.

Human Keratin 14/KRT14 antibody

Catalog Number: ATGA0338

Storage

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description

Keratin 14 (KRT14) is a member of the type I keratin family of intermediate filament proteins. KRT14 gene provides instructions for making a protein called keratin 14. Keratins are a group of tough, fibrous proteins that form the structural framework of certain cells, particularly cells that make up the skin, hair, and nails. Keratin 14 is specifically produced in cells called keratinocytes in the outer layer of the skin.

General References


Pfendner E.G., et al. (2005) J Invest Dermatol. 125(2): 239-243.

Arin M.J., et al (2010) Br J Dermatol. 162(6): 1365-1369.

Muller F.B., et al (2006) Hum Mutat. 27(7): 719-720.

DATA

Western blot analysis (WB)




The recombinant protein (50ng) and cell lysate (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with anti-human KRT14 antibody (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP and an ECL detection system.

Lane 1.: Recombinant Human KRT14

Lane 2.: A431 cell lysate

Immunocytochemistry/Immunofluorescence (ICC/IF)




ICC/IF analysis of KRT14 in PC3 cells. The cell was stained with ATGA0338 (1:100). The secondary antibody (green) was used Alexa Fluor 488. DAPI was stained the cell nucleus (blue).

Flow cytometry (FACS)


Human Keratin 14/KRT14 antibody

Catalog Number: ATGA0338



Flow cytometry analysis of KRT14 in A431 cells. The cell was stained with ATGA0338 at 2-5ug for 1×10^6 cells (red). A Goat anti mouse IgG (Alexa fluor 488) was used as the secondary antibody. Mouse monoclonal IgG was used as the isotype control (dark gray), cells without incubation with primary and secondary antibody was used as the negative control (light gray).

Immunohistochemistry (IHC)



Human cervical cancer tissue

Paraffin embedded sections of human cervical cancer tissue were incubated with anti-human KRT14 (1:200) for 2 hours at room temperature. Antigen retrieval was performed in 0.1M sodium citrate buffer and detected using Diaminobenzidine (DAB).