

Recombinant human Ephrin-B2 protein

Catalog Number: ATGP1220

PRODUCT INFORMATION

Expression system

E.coli

Domain

28-229aa

UniProt No.

P52799

NCBI Accession No.

NP_004084.1

Alternative Names

Ephrin B2, EFNB2, EPH-related receptor tyrosine kinase ligand 5, ligand of eph-related kinase 5, LERK-5, HTK ligand, HTK-L, EPLG5, HTKL

PRODUCT SPECIFICATION

Molecular Weight

24.9 kDa (227aa) confirmed by MALDI-TOF

Concentration

0.5mg/ml (determined by Bradford assay)

Formulation

Liquid in. 20mM Tris-HCl buffer (pH 8.0) containing 2mM DTT, 40% glycerol, 200mM NaCl, 1mM EDTA

Purity

> 85% by SDS-PAGE

Tag

His-Tag

Application

SDS-PAGE

Storage Condition

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description

Ephrin-B2 is a member of the ephrin (EPH) family. The ephrins and EPH-related receptors comprise the largest subfamily of receptor protein-tyrosine kinases and have been implicated in mediating developmental events, especially in the nervous system and in erythropoiesis. Based on their structures and sequence relationships, ephrins are divided into the ephrin-A (EFNA) class, which are anchored to the membrane by a glycosylphosphatidylinositol linkage, and the ephrin-B (EFNB) class, which are transmembrane proteins. It binds

Recombinant human Ephrin-B2 protein

Catalog Number: ATGP1220

to the EPHB4 and EPHA3 receptors. Recombinant human EFNB2 protein, fused to His-tag at N-terminus, was expressed in E. coli and purified by conventional chromatography, after refolding of the isolated inclusion bodies in a renaturation buffer.

Amino acid Sequence


<MGSSHHHHHH SSGLVPRGSH MGSHM>IVLEP IYWNSSNSKF LPGQGLVLYP QIGDKLDIIC PKVDSKTVGQ
YEYYKVYIMVD KDQADRCTIK KENTPLLNCA KPDQDIKFTI KFQEFSPNLW GLEFQKNKDY YIISTSNGL EGLDNQEGGV
CQTRAMKILM KVGQDASSAG STRNKDPTRR PELEAGTNGR SSTSPFVKP NPGSSTDGNS AGHSGNNILG SEVALFA

General References

Jensen, P.L. et al. (2000) Stem Cells 18: 63-6
Cerretti, et al. (1995). Mol. Immunol. (ENGLAND) 32 (16): 1197-205.

DATA

SDS-PAGE



3ug by SDS-PAGE under reducing condition and visualized by coomassie blue stain.