PRODUCT INFORMATION

Expression system Baculovirus

Domain 22-343aa

UniProt No. P78552

NCBI Accession No. NP_001551

Alternative Names

Interleukin 13 receptor subunit alpha 1, IL-13 receptor subunit alpha-1, IL-13R subunit alpha-1, IL-13R-alpha-1, Cancer/testis antigen 19, CT19, CD213a1, IL13R, IL13RA, NR4

PRODUCT SPECIFICATION

Molecular Weight

37.7 kDa (328aa)

Concentration

0.5mg/ml (determined by Bradford assay)

Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4)

Purity > 90% by SDS-PAGE

Endotoxin level < 1 EU per 1ug of protein (determined by LAL method)

Tag His-Tag

Application SDS-PAGE

Storage Condition

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

BACKGROUND

Description

IL13RA1, also known as Interleukin-13 receptor subunit alpha-1, is a subunit of the interleukin 13 receptor. This subunit forms a receptor complex with IL4 receptor alpha, a subunit shared by IL13 and IL4 receptors. This protein has been shown to bind tyrosine kinase TYK2, and thus may mediate the signaling processes that lead to



the activation of JAK1, STAT3 and STAT6 induced by IL13 and IL4. It is essential for allergen-induced airway hyperactivity and mucus hypersecretion. Recombinant human IL13RA1, fused to His-tag at C-terminus, was expressed in insect cell and purified by using conventional chromatography techniques.

Amino acid Sequence

GGGGAAPTET QPPVTNLSVS VENLCTVIWT WNPPEGASSN CSLWYFSHFG DKQDKKIAPE TRRSIEVPLN ERICLQVGSQ CSTNESEKPS ILVEKCISPP EGDPESAVTE LQCIWHNLSY MKCSWLPGRN TSPDTNYTLY YWHRSLEKIH QCENIFREGQ YFGCSFDLTK VKDSSFEQHS VQIMVKDNAG KIKPSFNIVP LTSRVKPDPP HIKNLSFHND DLYVQWENPQ NFISRCLFYE VEVNNSQTET HNVFYVQEAK CENPEFERNV ENTSCFMVPG VLPDTLNTVR IRVKTNKLCY EDDKLWSNWS QEMSIGKKRN STHHHHH

General References

Liu, H. et al. (2000). Cancer Immunol. Immunother. 49:319-324. Debinski, W. et al. (2000). Mol. Med. 6:440-449.

DATA

SDS-PAGE



3ug by SDS-PAGE under reducing condition and visualized by coomassie blue stain.

15% SDS-PAGE (3ug)