# NKMAXBIO We support you, we believe in your research

# Recombinant human Ephrin-B1 protein

Catalog Number: ATGP3800

## **PRODUCT INFORMATION**

## **Expression system**

Baculovirus

#### **Domain**

28-237aa

#### UniProt No.

P98172

#### **NCBI Accession No.**

NP 004420

## **Alternative Names**

Ephrin B1, EFNB1, EFL-3, ELK ligand, ELK-L, EPH-related receptor tyrosine kinase ligand 2, LERK-2, EPLG2, craniofrontonasal syndrome, CFNS

## **PRODUCT SPECIFICATION**

## **Molecular Weight**

50.3 kDa (452aa)

#### Concentration

1mg/ml (determined by absorbance at 280nm)

#### **Formulation**

Liquid in. Phosphate-Buffered Saline (pH 7.4) containing 10% glycerol

#### **Purity**

> 90% by SDS-PAGE

#### **Endotoxin level**

< 0.1 EU per 1ug of protein (determined by LAL method)

## **Biological Activity**

Measured by its binding ability in a functional ELISA with Human EphB2 (CAT# ATGP3493). The ED50 range  $\leq$  100 ng/ml. Measured by its binding ability in a functional ELISA with Human EPHB1 (CAT# ATGP4038). The ED50 range  $\leq$  40 ng/ml.

#### ıag

hlgG-His-Tag

## **Application**

SDS-PAGE, Bioactivity

## **Storage Condition**

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.



## Recombinant human Ephrin-B1 protein

Catalog Number: ATGP3800

## **BACKGROUND**

## **Description**

EFNB1, also known as ephrin-B1, is a member of Eph family. It binds to the receptor tyrosine kinases EPHB1 and EPHA1. This protein also binds Eph receptors residing on adjacent cells which affect signaling to neighboring cells. It plays a role in cellular migration, axon guidance, osteoclast differentiation and function, cardiac muscle morphogenesis, and tumorigenesis. Recombinant human EFNB1 protein, fused to hlgG-His-tag at C-terminus, was expressed in insect cell and purified by using conventional chromatography techniques.

#### **Amino acid Sequence**


<ADP>LAKNLEP VSWSSLNPKF LSGKGLVIYP KIGDKLDIIC PRAEAGRPYE YYKLYLVRPE QAAACSTVLD PNVLVTCNRP EQEIRFTIKF QEFSPNYMGL EFKKHHDYYI TSTSNGSLEG LENREGGVCR TRTMKIIMKV GQDPNAVTPE QLTTSRPSKE ADNTVKMATQ APGSRGSLGD SDGKHETVNQ EEKSGPGASG GSSGDPDGFF NSK<LEPKSCD KTHTCPPCPA PELLGGPSVF LFPPKPKDTL MISRTPEVTC VVVDVSHEDP EVKFNWYVDG VEVHNAKTKP REEQYNSTYR VVSVLTVLHQ DWLNGKEYKC KVSNKALPAP IEKTISKAKG QPREPQVYTL PPSRDELTKN QVSLTCLVKG FYPSDIAVEW ESNGQPENNY KTTPPVLDSD GSFFLYSKLT VDKSRWQQGN VFSCSVMHEA LHNHYTQKSL SLSPGKHHHH HH>

#### **General References**

Hu Y., et al, (2015) Arthritis Rheumatol. 67:1778-1788. Gibson J., et al, (2017) Dev Biol. 431:179-193.


## **DATA**

## **SDS-PAGE**



3ug by SDS-PAGE under reducing condition and visualized by coomassie blue stain.

#### **Biological Activity**




Human EphB2 (CAT# ATGP3493) is coated at 2 ug/ml (100 ul/well) can bind Human Ephrin-B1. The ED50 range  $\leq$  100 ng/ml.



# Recombinant human Ephrin-B1 protein

Catalog Number: ATGP3800

Human Ephrin-B1 (ug/ml)



Human EPHB1 (CAT# ATGP4038) is coated at 2 ug/ml (100 ul/well) can bind Human Ephrin-B1. The ED50 range  $\leq$  40 ng/ml.

