# **PRODUCT INFORMATION**

**Expression system** Baculovirus

**Domain** 26-162aa

**UniProt No.** Q969Z4

NCBI Accession No. NP\_689408

## **Alternative Names**

Tumor necrosis factor receptor superfamily member 19L, RELT, TNFRSF19L, TRLT, RELT tumor necrosis factor receptor, Receptor expressed in Lymphoid tissues

# **PRODUCT SPECIFICATION**

# **Molecular Weight**

41.4 kDa (376aa)

## Concentration

0.5mg/ml (determined by absorbance at 280nm)

### Formulation

Liquid in. Phosphate-Buffered Saline (pH 7.4) containing 10% glycerol

**Purity** > 90% by SDS-PAGE

**Endotoxin level** < 1 EU per 1ug of protein (determined by LAL method)

**Tag** hlgG-His-Tag

Application SDS-PAGE

### **Storage Condition**

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

# BACKGROUND

### Description

RELT, also known tumor necrosis factor receptor superfamily member 19L, is one of the the tumor necrosis factor receptor superfamily. It is expressed in hematopoietic tissues and peripheral blood leukocytes. This protein mediates activation of NF-kappa-B and plays a role in T-cell activation. With overexpression of this



1

protein in HEK-293 cells, it induces p38 and JNK signaling and activates apoptosis. And it can also costimulate Tcell proliferation in the presence of CD3 signaling. Recombinant human RELT protein, fused to hIgG-His-tag at Cterminus, was expressed in insect cell and purified by using conventional chromatography techniques.

#### **Amino acid Sequence**

STTLWQCPPG EEPDLDPGQG TLCRPCPPGT FSAAWGSSPC QPHARCSLWR RLEAQVGMAT RDTLCGDCWP GWFGPWGVPR VPCQPCSWAPLGTHGCDEWG RRARRGVEVA AGASSGGETR QPGNGTRAGG PEETAAQVEP KSCDKTHTCP PCPAPELLGG PSVFLFPPKP KDTLMISRTP EVTCVVVDVS HEDPEVKFNW YVDGVEVHNA KTKPREEQYN STYRVVSVLT VLHQDWLNGK EYKCKVSNKA LPAPIEKTIS KAKGQPREPQ VYTLPPSRDE LTKNQVSLTC LVKGFYPSDI AVEWESNGQP ENNYKTTPPV LDSDGSFFLY SKLTVDKSRW QQGNVFSCSV MHEALHNHYT QKSLSLSPGK HHHHHH

coomassie blue stain.

#### **General References**

Cusick JK., et al, (2010) Cell Immunol. 261:1-8. Moua P., et al, (2017) Biochem Biophys Res Commun. 491:25-32.

# DATA

#### **SDS-PAGE**



15% SDS-PAGE (3ug) Lane 1: reducing conditions Lane 2: non-reducing conditions

3ug by SDS-PAGE under reducing condition and visualized by

