# NKMAXBio We support you, we believe in your research

# **Recombinant mouse TIM-3/HAVCR2 protein**

Catalog Number: ATGP3992

## **PRODUCT INFORMATION**

## **Expression system**

**HEK293** 

#### **Domain**

20-193aa

#### UniProt No.

**08VIM0** 

#### **NCBI Accession No.**

NP 599011.2

### **Alternative Names**

Hepatitis A virus cellular receptor 2 homolog, T-cell immunoglobulin and mucin domain-containing protein 3, TIMD-3, T-cell immunoglobulin mucin receptor 3, TIM-3, T-cell membrane protein 3, CD366

### **PRODUCT SPECIFICATION**

# **Molecular Weight**

46.3kDa (413aa)

### **Concentration**

0.5mg/ml (determined by Absorbance at 280nm)

#### **Formulation**

Liquid. In Phosphate-Buffered Saline (pH 7.4) containing 10% glycerol

#### **Purity**

> 95% by SDS - PAGE

#### **Endotoxin level**

< 1 EU per 1ug of protein (determined by LAL method)

### Tag

hlgG-His-Tag

## **Application**

SDS-PAGE

## **Storage Condition**

Can be stored at +2C to +8C for 1 week. For long term storage, aliquot and store at -20C to -80C. Avoid repeated freezing and thawing cycles.

# **BACKGROUND**

# **Description**

TIM-3, also known as HAVCR2(epatitis A virus cellular receptor 2), belongs to TIM family cell surface receptor proteins.TIM-3 is up-regulated on several populations of activated myeloid cells and T cells. It is an immune checkpoint and together with other inhibitory receptors including PD-1and LAG3 mediate the CD8+ T-cell



# NKMAXBIO We support you, we believe in your research

# Recombinant mouse TIM-3/HAVCR2 protein

Catalog Number: ATGP3992

exhaustion. Also, it is primarily activated by galectin-9. The engagement leads to stimulation of an influx of calcium to intracellular space and induction of programmed cell death, apoptosis. As a consequence, a suppression of Th1 and Th17 responses and induction of immune tolerance occurs. Recombinant mouse TIM-3, fused to hlgG-His-tag at C-terminus, was expressed in HEK293 cell and purified by using conventional chromatography techniques.

# **Amino acid Sequence**


RSLENAYVFE VGKNAYLPCS YTLSTPGALV PMCWGKGFCP WSQCTNELLR TDERNVTYQK SSRYQLKGDL NKGDVSLIIK NVTLDDHGTY CCRIQFPGLM NDKKLELKLD IKAAKVTPAQ TAHGDSTTAS PRTLTTERNG SETQTLVTLH NNNGTKISTW ADEIKDSGET IRTA<LEPKSC DKTHTCPPCP APELLGGPSV FLFPPKPKDT LMISRTPEVT CVVVDVSHED PEVKFNWYVD GVEVHNAKTK PREEQYNSTY RVVSVLTVLH QDWLNGKEYK CKVSNKALPA PIEKTISKAK GQPREPQVYT LPPSRDELTK NQVSLTCLVK GFYPSDIAVE WESNGQPENN YKTTPPVLDS DGSFFLYSKL TVDKSRWQQG NVFSCSVMHE ALHNHYTQKS LSLSPGKHHH HHH>

#### **General References**

Ana C Anderson., et al, (2016) Immunity. 44:989-1004. Ruihan Tang., et al, (2019) Semin Immunol. 42:101302. Huang YH., (2015) Nature. 517:386-390.

### **DATA**

#### **SDS-PAGE**



3ug by SDS-PAGE under reducing condition and visualized by coomassie blue stain

