

## Recombinant Human SHH(C24II)

Catalog No: C089

Description Recombinant Human Sonic Hedgehog is produced by our E.coli expression system and the target

gene encoding Cys24-Gly197(Cys24lle-lle) is expressed.

**Expression System** E.coli

Alternative name Sonic Hedgehog Protein; SHH; HHG-1; SHH

Accession No. Q15465

Quality Control Purity: greater than 95% as determined by reducing SDS-PAGE.

Endotoxin: less than 0.1 ng/µg (1 EU/µg) as determined by LAL test.

Formulation Lyophilized from a 0.2 µm filtered solution of 20mM PB, 100mM NaCl, 1mM DTT, pH 7.5.

Reconstitution It is not recommended to reconstitute to a concentration less than 100µg/ml.

Dissolve the lyophilized protein in distilled water.

Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

**Shipping** The product is shipped at ambient temperature.

Upon receipt, store it immediately at the temperature listed below.

Storage Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3 weeks.

Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples

are stable at < -20°C for 3 months.


Always centrifuge tubes before opening. Do not mix by vortex or pipetting.

Background Sonic Hedgehog Homolog (SHH) belongs to a three-protein family called Hedgehog. The

other two family members are Indian Hedgehog (IHH) and Desert Hedgehog (DHH).

Hedgehog proteins are key signaling molecules in embryonic development. SHH is expressed in various embryonic tissues and plays critical roles in regulating the patterning of many systems, such as limbs and brain. SHH also plays an important role in adult, including the division of adult stem cells and the development of certain cancers and other diseases. Human SHH is expressed as a 45kDa precursor, and undergoes a series of processing during secretion. After the removal of the signal peptide, a protease within the C-terminal domain catalyzes the cleavage of SHH into a 20 kDa N-terminal signaling domain (SHH-N) and a 25 kDa C-terminal domain (SHH-C). SHH-N has the "all signaling" capability. SHH-N binds to the 12 pass transmembrane protein Patched (Ptc) on cell surface, which releases the repression of the activity of Smoothened (Smo), a G-protein coupled

receptor, by Ptc.





**SDS-PAGE**