

Recombinant Human LRP12 (C-6His)

Catalog No: C389

Description	Recombinant Human Low-Density Lipoprotein Receptor-Related Protein 12 is produced by our Mammalian expression system and the target gene encoding Asn28-Ile488 is expressed with a 6His tag at the C- terminus.
Expression System	Human cells
Alternative name	Low-Density Lipoprotein Receptor-Related Protein 12; LRP-12; Suppressor of Tumorigenicity 7 Protein; LRP12; ST7
Accession No.	Q9Y561
Predicted Molecular Weight	52.48kDa
Apparent Molecular Weight	68kDa, reducing conditions.
Quality Control	Purity: greater than 95% as determined by reducing SDS-PAGE. Endotoxin: less than 0.1 ng/μg (1 EU/μg) as determined by LAL test.
Formulation	Lyophilized from a 0.2 μm filtered solution of 20mM PB, 150mM NaCl, pH 7.2.
Reconstitution	It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.
Shipping	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
Storage	Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months. Always centrifuge tubes before opening. Do not mix by vortex or pipetting.
Background	Low-Density Lipoprotein Receptor-Related Protein 12 (LRP12) belongs to the LDLR family. LRP12 is a type I transmembrane protein and widely expressed in heart, skeletal muscle, brain, lung, placenta and pancreas. LRP12 contains 2 CUB domain and 5 LDL-receptor class A domain. LRP12 has been shown to interact with GNB2L1, ZFYVE9 and ITGB1BP3. LRP12 is a receptor probably, which may be involved in the internalization of lipophilic molecules and/or signal transduction. In addition, LRP12 may act as a tumor suppressor.

SDS-PAGE

