

Recombinant Mouse CTLA-4 Catalog No: CS48

Description Recombinant Mouse Cytotoxic T-lymphocyte Protein 4 is produced by our Mammalian expression

system and the target gene encoding Ala37-Asp161 is expressed with a Flag tag at the C-terminus.

Expression System Human cells

Alternative name Cytotoxic T-lymphocyte protein 4, Cytotoxic T-lymphocyte-associated antigen 4, CTLA-4, CD152,

Ctla4

Accession No. P09793

Quality Control Purity: greater than 95% as determined by reducing SDS-PAGE.

Endotoxin: less than 0.1 ng/μg (1 EU/μg) as determined by LAL test.

Formulation Lyophilized from a 0.2 µm filtered solution of PBS, pH7.4.

Reconstitution It is not recommended to reconstitute to a concentration less than 100µg/ml.

Dissolve the lyophilized protein in distilled water.

Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Shipping The product is shipped at ambient temperature.

Upon receipt, store it immediately at the temperature listed below.

Storage Lyophilized protein should be stored at < -20°C, though stable at room temperature for 3 weeks.

Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples

are stable at < -20°C for 3 months.

Always centrifuge tubes before opening. Do not mix by vortex or pipetting.

Background Mouse Cytotoxic Tlymphocyte 4(CTLA-4,CD152), is a type I transmembrane T cell inhibitory

molecule. Within the ECD, Mouse CTLA-4 shares 68% aa sequence identity with human. CTLA4 is similar to the T cell costimulatory protein CD28 since both of the molecules bind to CD80 and CD86 on antigen-presenting cells. CTLA4 transmits an inhibitory signal to T cells, whereas CD28 transmits a stimulatory signal. Intracellular CTLA4 is also found inregulatory T cells and may play an important role in their functions. T cell activation through the T cell receptor and CD28 leads to increased expression of CTLA4. Genetic variations of CTLA4 have been associated with susceptibility to systemic lupus erythematosus(SLE), Gravesdisease(GRD), Celiac disease

type3(CELIAC3) and Hepatitis B virus infection(HBVinfection).

SDS-PAGE



