
MAP2 Antibody, Rabbit PAb, Antigen Affinity Purified






GENERAL INFORMATION	
Immunogen:	A synthetic peptide corresponding to the N-terminus of the Human MAP2
Preparation	Produced in rabbits immunized with a synthetic peptide corresponding to the N-terminus of the Human MAP2, and purified by antigen affinity chromatography.
lg Type:	Rabbit IgG
Specificity:	Human, Mouse, Rat
Formulation:	0.2 µm filtered solution in PBS
Storage:	This antibody can be stored at $2^{\circ}\text{C-8}^{\circ}\text{C}$ for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C . Preservative-Free. Sodium azide is recommended to avoid contamination (final concentration 0.05%-0.1%). It is toxic to cells and should be disposed of properly. Avoid repeated freeze-thaw cycles.
APPLICATIONS	
Applications:	IHC-P
RECOMMENDED CONCENTRATION	
IHC-P	IHC-P: 1:500-1:2000

Please Note: Optimal concentrations/dilutions should be determined by the end user.


MAP2 Antibody, Rabbit PAb, Antigen Affinity Purified

Catalog Number: 101399-T08







Immunochemical staining Metap2 in human prostatic carcinoma with rabbit polyclonal antibody (1:1000, formalin-fixed paraffin embedded sections).



Immunochemical staining Metap2 in human thyroid cancer with rabbit polyclonal antibody (1:1000, formalin-fixed paraffin embedded sections).



Immunochemical staining METAP2 in mouse small intestine with rabbit polyclonal antibody at 1:1000 dilution, formalin-fixed paraffin embedded sections.



Immunochemical staining METAP2 in rat small intestine with rabbit polyclonal antibody at 1:1000 dilution, formalin-fixed paraffin embedded sections.