
TSNAX Antibody, Rabbit PAb, Antigen Affinity Purified






| GENERAL INFORMATION | |
|---------------------------|---|
| Immunogen: | A synthetic peptide corresponding to the center region of the Human TSNAX |
| Preparation | Produced in rabbits immunized with a synthetic peptide corresponding to the center region of the Human TSNAX, and purified by antigen affinity chromatography. |
| Ig Type: | Rabbit IgG |
| Specificity: | Human Cynomolgus (Species predicted to react based on 100% sequence homology) |
| Formulation: | 0.2 µm filtered solution in PBS |
| Storage: | This antibody can be stored at $2^{\circ}\text{C}-8^{\circ}\text{C}$ for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C . Preservative-Free. Avoid repeated freeze-thaw cycles. |
| Alternative Names: | TRAX |
| APPLICATIONS | |
| Applications: | IHC-P,ICC/IF |
| RECOMMENDED CONCENTRATION | |
| IHC-P | IHC-P: 1:500-1:2000 |
| ICC/IF | ICC/IF: 1:200-1:1000 |

Please Note: Optimal concentrations/dilutions should be determined by the end user.


TSNAX Antibody, Rabbit PAb, Antigen Affinity Purified

Catalog Number: 101456-T10





Immunochemical staining of human TSNAX in human testis with rabbit polyclonal antibody (1:1000, formalin-fixed paraffin embedded sections).



Immunofluorescence staining of TSNAX in HeLa cells. Cells were fixed with 4% PFA, permeabilzed with 0.3% Triton X-100 in PBS,blocked with 10% serum, and incubated with rabbit anti-human TSNAX polyclonal antibody (1:1000) at 4°C overnight. Then cells were stained with the Alexa Fluor®488-conjugated Goat Anti-rabbit IgG secondary antibody (green). Positive staining was localized to cytoplasm and nucleus.