

# Human CD31 / PECAM1 Protein (Fc Tag)

Catalog Number: 10148-H02H



Sino Biological  
Biological Solution Specialist

## General Information

### Gene Name Synonym:

CD31; CD31/EndoCAM; endoCAM; GPIIA<sup>v</sup>; PECA1; PECAM-1

### Protein Construction:

A DNA sequence encoding the extracellular domain (Met 1-Lys 601) of human CD31 (EAW94208.1) was expressed with the fused Fc region of human IgG1 at the C-terminus.

**Source:** Human

**Expression Host:** HEK293 Cells

## QC Testing

**Purity:** > 95 % as determined by SDS-PAGE

### Bio Activity:

Measured by the ability of the immobilized protein to support the adhesion of Jurkat human acute T cell leukemia cells. When  $8 \times 10^4$  cells/well are added to CD31-Fc coated plates (5  $\mu$ g/mL and 100  $\mu$ L/well) in the presence of 10 $\mu$ g/ml PHA, approximately >60% will adhere after 30 minutes at 37°C.

### Endotoxin:

< 1.0 EU per  $\mu$ g of the protein as determined by the LAL method

### Stability:

Samples are stable for up to twelve months from date of receipt at -70 °C

**Predicted N terminal:** Gln 28

### Molecular Mass:

The recombinant human CD31/Fc is a disulfide-linked homodimer. The reduced monomer consists of 812 amino acids and predicts a molecular mass of 91.2 kDa. As a result of glycosylation, the rhCD31/Fc monomer migrates as approximately 130-140 kDa band in SDS-PAGE under reducing conditions.

### Formulation:

Lyophilized from sterile 100mM Glycine, 10mM NaCl, 50mM Tris, pH 7.5

Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Specific concentrations are included in the hardcopy of COA. Please contact us for any concerns or special requirements.

## Usage Guide

### Storage:


Store it under sterile conditions at -20°C to -80°C upon receiving. Recommend to aliquot the protein into smaller quantities for optimal storage.

**Avoid repeated freeze-thaw cycles.**

### Reconstitution:

Detailed reconstitution instructions are sent along with the products.

## SDS-PAGE:



## Protein Description

The Cluster of Differentiation 31 (CD31) adhesion molecule, also known as platelet-endothelial cell adhesion molecule-1 (PECAM-1), is the only known member of the CAM family on platelets. CD31 protein is a 130-kDa transmembrane glycoprotein expressed by endothelial cells, platelets, monocytes, neutrophils, and certain T cell subsets. CD31 protein is also expressed in certain tumors, including epithelioid hemangioendothelioma, other vascular tumors, and histiocytic malignancies. CD31 plays a key role in removing aged neutrophils and tissue regeneration. CD31 protein mediates the homotypic or heterotypic cell adhesion by binding to itself or the leukocyte integrin  $\alpha$ v $\beta$ 3, and thus plays a role in neutrophil recruitment in inflammatory responses, transendothelial migration of leukocytes, as well as in cardiovascular development.

**Manufactured By Sino Biological Inc., FOR RESEARCH USE ONLY. NOT FOR USE IN HUMANS.**

**For US Customer:** Fax: 267-657-0217 • Tel: 215-583-7898

**Global Customer:** Fax :+86-10-5862-8288 • Tel:+86-400-890-9989 • <http://www.sinobiological.com>