Human TNFSF14 / LIGHT / CD258 Protein (His Tag)

Catalog Number: 10386-H07H



General Information

Gene Name Synonym:

CD258; HVEML; LIGHT; LTg; TR2

Protein Construction:

A DNA sequence encoding the human TNFSF14 (NP_003798.2) extracellular domain (Asp 74-Val 240) was fused with a polyhistidine-tag at the N-terminus

Source: Human

Expression Host: HEK293 Cells

QC Testing

Purity: > 85 % as determined by SDS-PAGE

Endotoxin:

< 1.0 EU per µg of the protein as determined by the LAL method

Stability:

Samples are stable for up to twelve months from date of receipt $\,$ at -70 $\,$ $^{\circ}$ C

Predicted N terminal: His

Molecular Mass:

The recombinant human TNFSF14 consists of 183 amino acids and and has a predicted molecular mass of 20.4 kDa.

Formulation:

Lyophilized from sterile PBS, pH 7.4

Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Specific concentrations are included in the hardcopy of COA. Please contact us for any concerns or special requirements.

Usage Guide

Storage:


Store it under sterile conditions at $\text{-}20\,^\circ\!\text{C}$ to $\text{-}80\,^\circ\!\text{C}$ upon receiving. Recommend to aliquot the protein into smaller quantities for optimal storage.

Avoid repeated freeze-thaw cycles.

Reconstitution:

Detailed reconstitution instructions are sent along with the products.

SDS-PAGE:



Protein Description

LIGHT, also known as TNFSF14 or CD258, is a newly identified member of the TNF superfamily (TNFSF14) that is expressed by activated T lymphocytes, monocytes, granulocytes, spleen cells, and immature dendritic cells. TNFSF14 / LIGHT / CD258 is a type II transmembrane protein that is known to bind 2 membrane-bound TNFSF signaling receptors: HVEM, which is predominantly expressed by T cells, and lymphotoxin β receptor (LT β R), which is expressed by stromal cells and nonlymphoid hematopoietic cells. TNFSF14 / LIGHT / CD258 also binds to a soluble nonsignaling receptor, decoy receptor 3 (DcR3), which can modulate the function of LIGHT in vivo. TNFSF14 / LIGHT / CD258 can also costimulate T cell responses via HVEM, which is constitutively expressed in most lymphocyte subpopulations, including CD4+ and CD8+ T cells. In addition, TNFSF14 / LIGHT / CD258 has been shown to suppress tumor formation in vivo and to induce tumor cell apoptosis via the up-regulation of intercellular adhesion molecule 1 and an increased lymphocyte adhesion to cancer cells. Thus, TNFSF14 / LIGHT / CD258 is being actively investigated as a possible basis for cancer treatment.

References

1.Ogawa T, et al. (2010) CXCR3 binding chemokine and TNFSF14 over expression in bladder urothelium of patients with ulcerative interstitial cystitis. J Urol. 183(3): 1206-12. 2.Kanodia S, et al. (2010) Expression of LIGHT/TNFSF14 combined with vaccination against human papillomavirus Type 16 E7 induces significant tumor regression. Cancer Res. 70(10): 3955-64. 3.Hosokawa Y, et al. (2010) TNFSF14 coordinately enhances CXCL10 and CXCL11 productions from IFN-gamma-stimulated human gingival fibroblasts. Mol Immunol. 47(4): 666-70.

Manufactured By Sino Biological Inc., FOR RESEARCH USE ONLY. NOT FOR USE IN HUMANS.

For US Customer: Fax: 267-657-0217 • Tel: 215-583-7898

Global Customer: Fax :+86-10-5862-8288
■ Tel:+86-400-890-9989
■ http://www.sinobiological.com