PDGFRA / CD140a Antibody (APC), Mouse MAb







| GENERAL INFORMATION | |
|---------------------------|--|
| Immunogen: | Recombinant Human PDGFRA / CD140a Protein (Catalog#10556-H08H) |
| Reagents: | APC-conjugated Mouse monoclonal antibody |
| Preparation | This antibody was produced from a hybridoma resulting from the fusion of a mouse myeloma with B cells obtained from a mouse immunized with purified, recombinant Human PDGFRA / CD140a (rh PDGFRA / CD140a; Catalog#10556-H08H; NP_006197.1; Met1-Glu524) and conjugated with APC under optimum conditions, the unreacted APC was removed. |
| Ig Type: | Mouse IgG1 |
| Clone ID: | 02 |
| Specificity: | Human PDGFRA / CD140a |
| Concentration: | 5 μl/Test, 0.1 mg/ml |
| Formulation: | PBS solution containing 0.5% BSA and 0.09% sodium azide |
| Storage: | This antibody can be stored at 2° -8°C for twelve months without detectable loss of activity. Protected from prolonged exposure to light. Do not freeze! Sodium azide is toxic to cells and should be disposed of properly. Flush with large volumes of water during disposal. |
| Alternative Names: | PDGFRA |
| APPLICATIONS | |
| Applications: | FCM |
| RECOMMENDED CONCENTRATION | |

Please Note: Optimal concentrations/dilutions should be determined by the end user.

PDGFRA / CD140a Antibody (APC), Mouse MAb







Flow cytometric analysis of Human PDGFR α (CD140a) expression on MG63 cells. Cells were stained with APC-conjugated anti-Human PDGFR α (CD140a). The fluorescence histograms were derived from gated events with the forward and side light-scatter characteristics of intact cells.

Flow cytometry was performed on a BD FACSCalibur flow cytometry system. Please refer to www.sinobiological.com/Flow-Cytometry-FACS-Protocols-a-750.html for technical protocols.