Human TNFRSF17 / BCMA / CD269 Protein (His & Fc Tag) (FITC conjugated)

Catalog Number: 10620-H03H-F



General Information

Expression System: HEK293 Cells

Preparation: Recombinant human BCMA/TNFRSF17 (NP_001183.2, extracellular domain, Met 1-Ala 54)

are conjugated with FITC under optimum conditions, the unreacted FITC was removed.

Labeling Ratio: The FITC to protein molar ratio is 1-3

Formulation: Aqueous solution containing 0.5% BSA and 0.03%Proclin 300

Concentration: 10 µl/Test, 0.1 mg/ml

Storage: This reagent is stable for 6 months from date of receipt when stored at 2 °C - 8 °C. Protected

from prolonged exposure to light. Do not freeze!


Form & Shipping : Liquid. Shipping at ambient temperature.

Usage: The $5 \times 10E5$ cells are suspended in 50 μ L washing buffer (1 X PBS + 1% BSA), add 10 μ L

Protein L-PE, incubate for 45 min at 4°C from light, then wash 2 times with wash buffer.

Analyze by flow cytometry immediately.

Test results



Flow cytometric analysis of anti-BCMA CAR expression. 293 cells were lentivirally transduced with anti-BCMA CAR. Flow cytometric analysis was performed with FITC-conjugated recombinant human BCMA (Cat. No. 10620-H03H-F) . Nontransduced 293 cells were used as a control (left).