
PGK2 Antibody, Rabbit PAb, Antigen Affinity Purified






GENERAL INFORMATION	
Immunogen:	A synthetic peptide corresponding to the center region of the Human PGK2
Preparation	Produced in rabbits immunized with a synthetic peptide corresponding to the center region of the Human PGK2, and purified by antigen affinity chromatography.
Ig Type:	Rabbit IgG
Specificity:	Human Cynomolgus (Species predicted to react based on 100% sequence homology)
Formulation:	0.2 µm filtered solution in PBS
Storage:	This antibody can be stored at $2^{\circ}\text{C-8}^{\circ}\text{C}$ for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C . Preservative-Free. Sodium azide is recommended to avoid contamination (final concentration 0.05%-0.1%). It is toxic to cells and should be disposed of properly. Avoid repeated freeze-thaw cycles.
APPLICATIONS	
Applications:	WB, IP
RECOMMENDED CONCENTRATION	
Western Blot	WB: 1:500-1:2000
Immunoprecipitation	IP:1-5 μL/mg of lysate

Please Note: Optimal concentrations/dilutions should be determined by the end user.

PGK2 Antibody, Rabbit PAb, Antigen Affinity Purified

Catalog Number: 107229-T36






Anti-PGK2 rabbit polyclonal antibody at 1:500 dilution

Lane A: HepG2 Whole Cell Lysate Lane B: 293T Whole Cell Lysate Lane C: HeLa Whole Cell Lysate

Lysates/proteins at 30 μg per lane. Secondary Goat



PGK2 was immunoprecipitated using: Lane A:0.5 mg HeLa Whole Cell Lysate

 $4~\mu L$ anti-PGK2 rabbit polyclonal antibody and $60~\mu g$ of Immunomagnetic beads Protein A/G.

Primary antibody: Anti-PGK2 rabbit polyclonal antibody,at 1:100 dilution

Secondary antibody: Clean-Blot IP Detection Reagent (HRP) at 1:1000dilution

Developed using the ECL technique. Performed under reducing conditions.

Predicted band size: 45 kDa Observed band size: 45 kDa