

# CCNE1 / Cyclin-E1 Antibody, Mouse MAb



Sino Biological  
Biological Solution Specialist

Catalog Number: 10902-MM03

## GENERAL INFORMATION

|                    |                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Immunogen:         | Recombinant Human CCNE1 / Cyclin-E1 protein (Catalog#10902-H07B)                                                                                                                                                                                                                                                                                                   |
| Preparation        | This antibody was produced from a hybridoma resulting from the fusion of a mouse myeloma with B cells obtained from a mouse immunized with purified, recombinant Human CCNE1 / Cyclin-E1 (rh CCNE1 / Cyclin-E1; Catalog#10902-H07B; NP_001229.1; Met1-Ala410). The IgG fraction of the cell culture supernatant was purified by Protein A affinity chromatography. |
| Clone ID:          | 03                                                                                                                                                                                                                                                                                                                                                                 |
| Specificity:       | Human CCNE1 / Cyclin-E1                                                                                                                                                                                                                                                                                                                                            |
| Formulation:       | 0.2 µm filtered solution in PBS                                                                                                                                                                                                                                                                                                                                    |
| Storage:           | This antibody can be stored at 2°C-8°C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20°C to -80°C. Preservative-Free. Avoid repeated freeze-thaw cycles.                                                                                                                 |
| Alternative Names: | CCNE                                                                                                                                                                                                                                                                                                                                                               |

## APPLICATIONS

|               |        |
|---------------|--------|
| Applications: | ICC/IF |
|---------------|--------|

## RECOMMENDED CONCENTRATION

|        |                    |
|--------|--------------------|
| ICC/IF | ICC/IF: 1:20-1:100 |
|--------|--------------------|


**Please Note: Optimal concentrations/dilutions should be determined by the end user.**

# CCNE1 / Cyclin-E1 Antibody, Mouse MAb



Sino Biological  
Biological Solution Specialist

Catalog Number: 10902-MM03



Immunofluorescence staining of Human CCNE1 in MCF7 or Hela cells. Cells were fixed with 4% PFA, blocked with 10% serum, and incubated with Mouse anti-Human CCNE1 monoclonal antibody (1:60). Then cells were stained with the Alexa Fluor® 488-conjugated Goat Anti-mouse IgG secondary antibody (left panel, captured by laser confocal scanning microscope; right panel, captured by fluorescence microscope), counterstained with Alexa Fluor® 546-conjugated phallotoxins (red) and DAPI (blue). Positive staining was localized to nucleus.