Human S100A6 Protein

Catalog Number: 10939-HNAE



General Information

Gene Name Synonym:

2A9; 5B10; CABP; CACY; PRA

Protein Construction:

A DNA sequence encoding the human S100A6 (NP_055439.1) (Met 1-Gly 90) was expressed.

Human Source: E. coli

QC Testing

Expression Host:

> 95 % as determined by SDS-PAGE **Purity:**

Endotoxin:

Please contact us for more information.

Stability:

Samples are stable for up to twelve months from date of receipt at -70 °C

Predicted N terminal: Met

Molecular Mass:

The recombinant human S100A6 consists of 90 amino acids and predicts a molecular mass of 10.2 kDa.

Formulation:

Lyophilized from sterile PBS, pH 7.4

Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Specific concentrations are included in the hardcopy of COA. Please contact us for any concerns or special requirements.

Usage Guide

Storage:


Store it under sterile conditions at -20°C to -80°C upon receiving. Recommend to aliquot the protein into smaller quantities for optimal

Avoid repeated freeze-thaw cycles.

Reconstitution:

Detailed reconstitution instructions are sent along with the products.

SDS-PAGE:



Protein Description

S100 proteinis a family of low molecular weight protein found in vertebrates characterized by twoEF-hand calcium-binding motifs. There are at least 21 different S100 proteins, and the name is derived from the fact that the protein is100% soluble in ammonium sulfateat neutralpH. Most S100 proteins are disulfide-linked homodimer, and is normally present in cells derived from theneural crest, chondrocytes, macrophages, dendritic cells, etc. S100 proteins have been implicated in a variety of intracellular and extracellular functions. They are involved in regulation of protein phosphorylation, transcription factors, the dynamics of cytoskeleton constituents, enzyme activities, cell growth and differentiation, and the inflammatory response. S100A6 (S100 calcium binding protein A6) is a member of the S100 family of proteins, and functions in prolactin secretion, and exocytosis. Chromosomal rearrangements and altered expression of S100A6 have been implicated in melanoma.

References

1.Sch?fer, B.W. et al., 1996, Trends Biochem. Sci. 21 (4): 134-140. 2.Donato,R. et al., 2003, Microsc. Res. Tech. 60 (6): 540-551. 3.Nowotny, M. et al., 2003, J. Biol. Chem. 278 (29): 26923-26928.

Manufactured By Sino Biological Inc., FOR RESEARCH USE ONLY. NOT FOR USE IN HUMANS.

For US Customer: Fax: 267-657-0217 Tel: 215-583-7898

Tel:+86-400-890-9989 • Global Customer: Fax :+86-10-5862-8288 http://www.sinobiological.com